




VINYL FLOORING WITH MINERAL CORE



# SUPERIORE







## TECHNOLOGY

We are a flooring industry company dedicated to utilizing state-of-the-art technology and offering advanced products to our clients. Our emphasis on technological advancements ensures we consistently provide high-quality, modern flooring solutions.



# INNOVATION

We are an European leader in the production of floor accessories. We offer advanced and innovative products. We are pushing the flooring industrie forwards for the more effective, ecological and durable solution.



Every year A.DESIGN STUDIO analyzes trends, changes in consumer preferences and hundreds of new floor colors. That's why we can create customer orientated solutions and stay relevant.








Our latest collection of HD Mineral Core flooring boasts the longest planks in the world, measuring a staggering 2.18 meters in length. These extra-long planks make for an incredibly seamless and sophisticated look, perfect for large

spaces and modern interiors.

In addition to their impressive length, our SPC panels also feature a synchronized structure that mimics the natural texture and pattern of wood, giving them an authentic and elegant appearance. Each of the 8 colors in our collection includes 10 unique planks.

# SEP



## 06 TECHNOLOGY

HD MINERAL CORE® TECHNOLOGY

ANTISCRATCH - TITANIUM NANO LAYER

BEAUTIFUL AND PRACTICAL

REAL WOOD STRUCTURE

## 20 DESIGN

DESIGNED BY A.DESIGN STUDIO

INTERIOR TRENDS

## 28 INNOVATIONS

WORLD'S FIRST MINERAL DRYBACK COLLECTION

ACULAY - ACOUSTIC FLOORS

## 34 COLLECTIONS

AMARON SUPERIORE

AMARON WOOD DESIGN

AMARON HERRINGBONE

WOODRIC EIR

WOODRIC

## 58 COMPREHENSIVE FLOORING SYSTEM

UNDERLAYS

SKIRTING BOARDS





# TECHNOLOGY


^^^^^

We are a flooring industry company dedicated to utilizing state-of-the-art technology and offering advanced products to our clients.

Our emphasis on technological advancements ensures we consistently provide high-quality, modern flooring solutions.







# BEAUTIFUL & PRACTICAL

The pace of our life direct us towards solutions that will support and enhance us in everyday situations. That is why Arbiton HD Mineral Core® floors have been designed for their maximum comfort of use. Due to their advanced technical properties, they can be installed in any room without expansion joints between rooms. This allows to have beautiful, unified floor throughout the whole level of the apartment. With complete waterproofness and low thermal resistance they are perfect to fit in bathrooms with underfloor heating. They are easy to clean and antistatic, which prevents dust from adhering to them. Moreover, thanks to the innovative Antiscratch - Titanium Nano Layer they are up to 30% more scratch resistant. All of these features and properties mean that you get a floor which will meet the demands of our time. With Arbiton floor you can enjoy life thanks to not only its beauty but also a peace of mind with guaranteed unique functional properties.

# BEAUTIFUL



Unique and realistic wood design selected from the most beautiful wood type in the world.



The widest plank available on the market - 229 mm - beautiful and the most natural looking floor.



Soft, delicate and mat finished flooring - the best representation of a real wood.



Nice and silent in everyday use vinyl flooring brings comfort and serenity to everyday life.

# PRACTICAL



No need to be scared of water.
Our floors are 100% waterproof.
Frequent cleaning or spilled drinks
are no longer dangerous to your floor.
Without concerns you can connect
your kitchen floor with the rest
of your living space.



HD Mineral Core® primarily means extremely strong locking system which gives the whole flooring system a maximum durability. Despite of small thickness of the plank our locks are 2 times stronger than average LVT locks available on the market.



Very low thermal resistance of our floors means more effective use of the underfloor heating system. Thanks to HD Mineral Core® less fuel is needed for floor heating and over 60% less carbon is released into the atmosphere from one household in Europe, each year.



HD Mineral Core® also means high dimensional stability of the floor even in very sunny rooms. We offer at least 2 times higher dimensional stability of our floors in comparison to traditional LVT.

DIMENSIONAL STABILITY (EN ISO 23999) up to 0,05%







In our laboratories we've discovered an innovative combination of natural rock minerals and advanced polymers. Carefully combined proportions ensure maximum performance of the floor. Our HD Mineral Core® provides extreme durability. We are proud of the quality of our HD Mineral Core® core free of phthalates and ANY plasticizers.



Our vinyl floor structure impeccably replicates the natural appearance of wood, boasting a significantly higher resolution than standard products.
Additionally, the design offers remarkable uniqueness, with up to 10 distinctive planks in each color variant, ensuring a truly authentic aesthetic.







A suitable underlayment for click vinyl is essential, as it not only provides acoustic insulation but also contributes to the durability of the flooring, making it crucial to select an underlayment tailored to your specific needs.







Our vinyl floor structure impeccably replicates the natural appearance of wood, boasting a significantly higher resolution than standard products.


Additionally, the design offers remarkable uniqueness, with up to 10 distinctive planks in each color variant, ensuring a truly authentic aesthetic.





HARDNESS and durability of natural rock minerals

In our laboratories we've discovered an innovative combination of natural rock minerals and advanced polymers. Carefully combined proportions ensure maximum performance of the floor. Our HD Mineral Core® provides extreme durability which we confirm by giving you 20 year guarantee. We are proud of the quality of our products free of phthalates and harmful plasticizers.





THE PERFECT FLOOR FOR UNDERFLOOR HEATING


·····

The perfect floor for underfloor heating
- maximize your energy efficiency with
Arbiton flooring! Efficient heating starts
with the right flooring - choose our highconductive option for underfloor heating





is designed to withstand daily wear and tear, year after year. Invest in long-lasting quality with our stable and durable flooring option. Prevent gaps and buckling for a seamless look.








THE SAME
HIGH-QUALITY
TECHNOLOGY
IN OUR GLUE-DOWN
AND CLICK
FLOORING
OPTIONS

······

Choose the installation method that suits your needs - our technology is available in both click or glue!





For last couple of years, professional automotive workshops offer protection of a paint layer. For additional fee, we can protect the paint coating with specially selected cosmetics. This service is mostly done on the new car even before it has left the dealership. The factory lacquer coating is being covered with ceramic or nanoparticles coating.

TITANIUM NANO LAYER

This service satisfy the most demanding customers who want to enjoy the beautiful appearance of the car for years. Antiscratch - Titanium Nano Layer is inspired by these premium automotive detailing process. Antiscratch - Titanium Nano Layer protects the panels and secure them against micro scratches that can occur in the regular lifespan of use.

The Antiscratch - Titanium Nano Layer protective coating is available in the top Arbiton collections - Amaron and Woodric. Technology used in these collections outperform in durability and scratch-resistance tests the majority of vinyl panels on the market. As a result sand, or even mud are no longer a threat because of the Antiscratch - Titanium Nano Layer and waterproofness protection. This means that Arbiton Amaron and Woodric can be easily installed in kitchens, dining rooms or even in bathrooms. And all these rooms can be unified – up to 200 m² without additional expansion joints. The combination of HD Mineral Core® and Antiscratch - Titanium Nano Layer guarantees a beautiful floor for many years.

~~~~~

# REAL WOOD STRUCTURE

High variety of designs means more natural impression of flooring. Perfect resemblance of wooden boards is a key benefit of our new collections. Minimum of 10 different planks in each colour means naturally flowing design without repetition of grains and knots.



DEEP MATT SURFACE

NATURAL FLOW OF DESIGNED STRUCTURE

HIGH RESOLUTION EMBOSSING

For those who strive for the best looking floor and high durability we have prepared an absolute novelty. Our new collections is made using embossing technology perfectly resembling wooden structure on a planks.

The EIR (embossed in register) technology we are using allow us to achieve higher resolution of embossing, meaning higher density of details enriching surface of planks. Our design has more knots, grain, clear figure, small indentation that create real wooden characteristic of the plank. A beautiful matte surface will gently emphasize the beautiful finish of the floor.







We make use of the reputable Valinge company's license to ensure the highest quality for our flooring products. By incorporating their innovative locking system into our floors, we guarantee durability and ease of installation.



WOODRIC COLLECTION (4 mm) 4,5 kN/m (long) / 5,5 kN/m (short)



AMARON SUPERIORE COLLECTION (5 mm) AMARON WOOD COLLECTION (5 mm) 5,2 kN/m (long) / 6,5 kN/m (short)



AMARON HERRINBONE COLLECTION (5 mm) 5,2 kN/m (long) / 6,5 kN/m (short)











Every year A.DESIGN STUDIO analyzes trends, changes in consumer preferences and hundreds of new floor colors. That's why we can create customer orientated solutions and stay relevant.









# OAK-INSPIRED FLOORING MASTERY

Our design studio specializes in creating stunning decor that reflects the look and feel of oak wood. We scour the world to find the finest quality oak wood and carefully study its unique patterns, grains, and colors.

Using advanced techniques and innovative technology, we replicate these natural elements in our flooring products. The result is a flooring solution that not only captures the beauty of oak wood, but also offers superior durability and longevity.

Our oak wood-inspired flooring is perfect for those who appreciate the elegance and charm of natural wood, but also want a practical and modern flooring solution. Our flooring products can be installed in a wide range of settings, from residential homes to commercial spaces.





At our design studio, we take pride in our commitment to quality and our passion for creating unique and beautiful designs. We're confident that our oak wood-inspired flooring will exceed your expectations vand add warmth and character to your space.

# **TRENDS**


^

In this chapter of our catalog, we explore the various interior design styles and how the shades and character of flooring can shape the overall look and feel of a space. The choice of flooring can significantly influence the ambiance, whether it's the clean lines of mid-century modern, the industrial charm of a loft, the cozy warmth of hygge, the free-spirited nature of boho, or the minimalist elegance of Japanese and wabi-sabi designs. Each style has its unique aesthetic, and selecting the right flooring can make all the difference in achieving your desired interior design. Let us guide you through these distinctive styles and help you find the perfect flooring solution to elevate your space.

# Mid century


Mid-century modern is a design style that originated in the mid-20th century, characterized by its clean lines, organic shapes, and emphasis on functionality. This style pays homage to the iconic furniture designs and architectural trends of the 1950s and 1960s, often incorporating elements such as tapered legs, geometric patterns, and a mix of natural and synthetic materials. The color palette for mid-century interiors typically includes a combination of neutral tones, vibrant colors, and earthy hues, reflecting the optimism and innovation of the era. In mid-century spaces, minimal ornamentation and an open layout create a sense of flow and harmony, allowing the iconic furniture pieces and accessories to take center stage. When it comes to flooring, oak floors with a warm, medium-toned finish and a subtle grain pattern are a perfect match for the mid-century style, providing a timeless and elegant backdrop that complements the distinctive design elements and adds a touch of warmth to the overall aesthetic.

> SEGOVIAOAK AMARON WOOD SU CASS 225



# Hygge

Hygge, a Danish concept that embodies a sense of coziness, warmth, and well-being, has gained significant popularity in the world of interior design. Hygge-inspired spaces prioritize comfort and create an atmosphere of tranquility, often featuring soft lighting, plush textiles, and an emphasis on natural materials. The color palette for this design style is typically neutral, with subtle hints of earthy tones and pastels that evoke a sense of calm and relaxation. Hygge interiors are designed to encourage connection, mindfulness, and the enjoyment of life's simple pleasures. In terms of flooring, oak floors with a light, soothing color palette and a natural, matte finish are an ideal choice for a hygge-inspired space, seamlessly blending with the gentle ambiance and promoting an overall sense of warmth and contentment.



# Boho


Boho, short for bohemian, is an eclectic and free-spirited interior design style that embraces a mix of colors, patterns, textures, and cultural influences. Boho interiors are characterized by a relaxed and inviting atmosphere, often featuring an abundance of greenery, vintage furniture, and a variety of decorative accents. Layering different textiles, such as rugs, throws, and cushions, is a key element of this design style, as well as incorporating a diverse range of art, antiques, and travel souvenirs. Boho spaces celebrate creativity, individuality, and the art of self-expression. When it comes to flooring, oak floors with warm, rich tones and a slightly distressed or aged finish provide the ideal foundation for a boho-inspired space, adding an authentic, lived-in charm that enhances the overall aesthetic.




**CAS224** 

# Japandi


Japandi, a unique fusion of Japanese and Scandinavian design principles, has emerged as a popular interior design trend that brings together the best of both worlds. By combining the simplicity and minimalism of Scandinavian design with the elegance and sophistication of Japanese aesthetics, Japandi creates a harmonious balance between form and function. This design style emphasizes clean lines, natural materials, and a neutral color palette, creating a sense of serenity and tranquility within the space. Japandi interiors often feature a mix of wood, stone, and natural textures, as well as an emphasis on craftsmanship and attention to detail. When it comes to flooring, oak floors with a subtle, muted color palette and a natural, matte finish perfectly complement the Japandi style, echoing the warmth and timeless character of this design philosophy.






# Wabi Sabi

Wabi-sabi, a Japanese aesthetic philosophy, is centered around embracing the beauty of imperfection, impermanence, and simplicity. In interior design, wabi-sabi spaces celebrate the raw, organic, and unrefined aspects of life, often featuring natural materials, handcrafted elements, and a minimalist approach to decor. The color palette is dominated by subdued, earthy tones that evoke a sense of serenity and harmony with the natural world. Wabi-sabi interiors encourage mindfulness and appreciation for the imperfect charm of objects and spaces, fostering a deeper connection to the environment. When it comes to flooring, oak floors with a subtle, weathered appearance and a matte, organic finish are a perfect complement to the wabi-sabi style, echoing the philosophy's emphasis on embracing the inherent beauty of natural imperfections and the passage of time.



The loft style, inspired by the industrial and urban environments of converted warehouse spaces, is characterized by its open-concept layout, high ceilings, and exposed architectural elements such as brick walls and metal beams. In interior design, loft spaces typically feature a blend of raw, rugged materials and sleek, contemporary furnishings, creating a unique atmosphere that is both stylish and functional. The color palette for this design style is often neutral, with bold accents and a mix of textures to add visual interest and depth. Loft interiors emphasize the use of repurposed, vintage, and industrial elements, resulting in a space that feels both modern and full of character. When it comes to flooring, oak floors with a dark, rich color palette and a slightly distressed or reclaimed finish are an excellent choice for a loft-inspired space, enhancing the industrial aesthetic and providing a strong, durable foundation for the overall design.











······

# WORLD'S FIRST MINERAL DRYBACK COLLECTION:

EXPERIENCE THE VERSATILITY OF DRYBACK


# Arbiton breaks new ground with the innovative Mineral Dryback technology.

Featuring the cutting-edge HD Mineral Core, is a first mineral dryback in the industry, delivering exceptional dimensional stability that prevents gaps between panels.

## ONE FLOOR, MANY APPLICATIONS











#### IT'S DIMENSIONALLY STABLE

With it's legendary dimensional stability of 0,05%, you can get rid of the annoying and unsightly gaps that appear at the panel joints after several seasons, especially in variable climatic conditions.

#### IT'S PERFECT FOR FLOOR HEATING

R=0,01 m2K/W! Next to ceramic tiles, it is probably the most effective floor covering for underfloor heating in the world!

#### IT'S FLEXIBLE

You can work with it like with any other lvt dryback, you can use te same tools and work in the same way.









## IT'S TESTED & APPROVED

Tested and recommended by all major adhesive manufacturers like UZIN, MAPEI, BOSTIK, KIESEL, ARDEX, BAUTEC, WAKOL

#### IT'S EVEN MORE DURABLE

The Mineral Dryback floor made in HD Mineral Core technology is even more durable. Usability Class 33/42, Antiscratch Titanium Nano Layer and parameter of RI=0,02 makes it a perfect choice for commercial use.

#### IT'S SUPER SILENT

Yes, it is! if you need a really quiet floor, a glued mineral dryback is the best choice.

# **ACULAY - ACOUSTIC FLOORS**

We are proud to introduce our new vinyl floors with a mineral core, featuring an integrated acoustic underlay called ACULAY. This innovative combination of panel and underlay provides a faster and easier installation process. As a European leader in underlay production, we guarantee that the ACULAY underlay is highly durable and meets all MMFA standards. Additionally, it offers an impressive sound reduction of 19 dB, and with a strength of 400 kPa, it is perfectly suited for use in all residential spaces.









# COLLECTIONS

Our latest collection of HD Mineral Core flooring boasts the longest planks in the world, measuring a staggering 2.18 meters in length. These extra-long planks make for an incredibly seamless and sophisticated look, perfect for large spaces and modern interiors.











# DRYBACK FLOORING

·····








# AMARON SUPER!ORE
















THERMAL RESISTANCE 0,014 m<sup>2</sup>K/W

















# AMARON SUPER!ORE

**^** 

A collection created for the most demanding. The largest panel available, 2180 mm long and 229 mm wide. Additionally, NATURAL SYNCHRONE STRUCTURE, faithfully resembles natural wood. In four delightful designs, beautiful natural shades of oak. The perfect floor, created for perfect interiors.



BEATRICE OAK

SU CASS 205

EAN: 5905167856505



ASTURIA OAK

SU CASS 210

EAN: 5905167856536





CHEVALIER OAK

SU CASS 234

EAN: 5905167856567



CHARLOTTE OAK

SU CASS 233

EAN: 5905167856550



**BURBON OAK** 

SU CASS 208

EAN: 5905167856529



GREYLAND OAK

SU CASS 202

EAN: 5905167856543





SU CASS 225

EAN: 5905167856512



BALMORAL OAK

SU CASS 235

EAN: 5905167856574



# AMARON **WOOD**









10 DESIGNS

4 DESIGNS








DRYBACK FLOORING



25 YEARS WARRANTY RESIDENTIAL




RESISTANCE: DRYBACK - 0,01 m²k/W CLICK - 0,014 m²k/W





















## AMARON

### WOOD



Amaron WOOD means expressive designs which will create the character of the interior. The floors in this collection have the highest usage class, created for the most demanding customers. This floor will play first fiddle. The 5G lock makes the floor easy and fast to install. A beautiful floor is a crucial element of interior design. It brings character to the unified design or lets you play a bit with contrast in modern or typically loft interiors. In any way, the floor is the element that helps to create an interesting space- where colours, textures and shapes result in the imagined effect-a sense of harmony and undisputed beauty. Having that in mind, we have created Amaron Wood vinyl click floor.



ALASKAN OAK

Dryback: 5905167857694

CA 102 Click: 5905167856369



YANKEE OAK

**CA 153** Click: 5905167856376

Dryback: 5905167857700



SIERRA OAK

CA 154 Click: 5905167856383

Dryback: 5905167857717



GEORGETOWN OAK

CA 147 Click: 5905167856390 Dryback: 5905167857724



TAMPA OAK

**CAS 220** 

Click: 5905167856406 Dryback: 5905167857731



MATTARI OAK

CAS 221 Click: 5905167856413 Dryback: 5905167857748



JOHANNES OAK

CAS 222 Click: 5905167856420 Dryback: 5905167857755



MENOR OAK

**CAS 223** 

Click: 5905167856437 Dryback: 5905167857762



CORNEL OAK



MONTANA OAK



Click: 5905167856444 Dryback: 5905167857779 CAS225

Click: 5905167856451

Dryback: 5905167857786



EMPIRE OAK

CAS 226

Click: 5905167856468

Dryback: 5905167857793



VIRGIN OAK

CAS 227

Click: 5905167856475

Dryback: 5905167857809



PRINCETON OAK

CAS 228

Click: 5905167856482

Dryback: 5905167857816



ROCHESTER OAK

CAS 229

Click: 5905167856499

Dryback: 5905167857823



# AMARON **HERRINGBONE**









4 DESIGNS

10 DESIGNS







DRYBACK FLOORING



25 YEARS WARRANTY RESIDENTIAL



THERMAL RESISTANCE: DRYBACK - 0,01 m/K/W CLICK - 0,014 m/K/W


























# AMARON HERRINGBONE



Fashion passes- just to return later. Trends come and go but precious few hold on for a long time. Our Amaron Herringbone vinyl click floor is designed to belong to the latter group. Thanks to specially designed locking system this collection might be arranged in the iconic English herringbone pattern. This is an amazing way to adjunct traditional interior arrangements. The main element that indicates the direction of the interior style is the floor - any further decisions regarding the interior are based upon it. Furniture, textures, fabrics, accessories - all of those either correspond to the selected floor or stay in opposition on the basis of divergence. Regardless of which approach you choose, you can stay calm knowing that the Arbiton panels will secure you the highest quality.







HAYWORTH OAK

Click: 5905167839492

Dryback: 5905167857601

CA 176

CA 177

Click: 5905167839508

Dryback: 5905167857618











BURBON OAK

**CAS 208** 

Click: 5905167857113

Dryback: 5905167857670



MENOR OAK

**CAS 223** 

Click: 5905167857090

Dryback: 5905167857656



DEVENTER OAK

**CAS 236** 

Click: 5905167857120 Dryback: 905167857687



EMPIRE OAK

**CAS 226** 

Click: 5905167857106

Dryback: 5905167857663


# ARBITON WOODRIC EIR







12 DESIGNS











THERMAL RESISTANCE: DRYBACK - 0,01 m<sup>2</sup>K/W CLICK - 0,012 m<sup>2</sup>K/W





























### WOODRIC EIR



Woodric EIR has beautiful 12 designs that are enriched with deep embossing to resemble natural wood board in the most honest way. Embossed in register technology allow to create indentation on the board that will create the unique pattern of wood. All of this premium visual and haptic features comes with well-known durability of HD Mineral Core® technology.



DAYTON OAK



BALTIMORE OAK

CWS 201

Click: 5905167847671 Dryback: 5905167855591 Acoustic: 5905167858271 CWS 202 Click: 5905167847688

Dryback: 5905167855607 Acoustic: 5905167858288



BRANDON OAK



ELDBORG OAK



HIGHLANDS OAK



LAVANT OAK

CWS 203

Click: 5905167847695 Dryback: 5905167855614

Acoustic: 5905167858295

CWS 204

Click: 5905167847701

Dryback: 5905167855621

Acoustic: 5905167858301

CWS 205

Click: 5905167847718

Dryback: 5905167855638

Acoustic: 5905167858318

CWS 206

Click: 5905167847725

Dryback: 5905167855645

Acoustic: 5905167858325



NORDLAND OAK



GARLAND OAK



SALERNO OAK



CAVAILLON OAK

CWS 207

Click: 5905167847732

Dryback: 5905167855652

Acoustic: 5905167858332

CWS 208

Click: 5905167847749

Dryback: 5905167855669

Acoustic: 5905167858349

CWS 209

Click: 5905167847756

Dryback: 5905167855676

Acoustic: 5905167858356

CWS 210

Click: 5905167847763

Dryback: 5905167855683

Acoustic: 5905167858363



DALLAS OAK



Click: 5905167847770

Dryback: 5905167855690

Acoustic: 5905167858370



LINCOLN OAK

CWS 212

Click: 5905167847787 Dryback: 5905167855706 Acoustic: 5905167858387





# ARBITON WOODRIC








12 DESIGNS




20 YEARS WARRANTY RESIDENTIAL



THERMAL RESISTANCE: DRYBACK - 0,01 m-K/W CLICK - 0,012 m-K/W






























CLICK FLOORING



DRYBACK FLOORING



INTEGRATED ACOUSTIC LAYER

3 SYSTEMS OF FLOOR INSTALLATION

#### WOODRIC



Our newest collection of vinyl click floors. This floor is made in Europe in new Arbiton's factory. Woodric will amaze even the most demanding people and provide them the best quality and 12 modern designs. With 0,5 mm wear layer and additional protective antiscratch layer you can be sure Woodric will withstand anything your household members will throw at it!



WHITECREEK OAK



CW 175

Click: 5905167847558 Dryback: 5905167855478

Acoustic: 5905167858158

CW 176

Click: 5905167847565 Dryback: 5905167855485

Acoustic: 5905167858165



MEDICCI OAK



PETERSON OAK



ROCKFORD OAK



LAWRENCE OAK

CW 177

Click: 5905167847572

Dryback: 5905167855492

Acoustic: 5905167858172



Click: 5905167847589

Dryback: 5905167855508

Acoustic: 5905167858189

CW 179

Click: 5905167847596

Dryback: 5905167855515

Acoustic: 5905167858196

CW 180

Click: 5905167847602

Dryback: 5905167855522

Acoustic: 5905167858202



STAMFORD OAK



HOLMAN OAK



ROSEVILLE OAK



WINDSOR OAK

CW 181

Click: 5905167847619

Dryback: 5905167855539

Acoustic: 5905167858219

CW 182

Click: 5905167847626

Dryback: 5905167855546

Acoustic: 5905167858226

CW 183

Click: 5905167847633

Dryback: 5905167855553

Acoustic: 5905167858233

CW 184

Click: 5905167847640

Dryback: 5905167855560

Acoustic: 5905167858240



TIMBERSLAND OAK



LAKEWOOD OAK

#### CW 185

•

Click: 5905167847657

Dryback: 5905167855577 Acoustic: 5905167858257 CW 186

Click: 5905167847664

Dryback: 5905167855584

Acoustic: 5905167858264







#### UNDERLAYS



## MULTIPROTEC VINYL CLICK

Special needs require special solutions. For areas with high level of traffic. Floors with click system require an underlay with high value of Compressive Strength. This is exactly what you can expect from our products. If the underfloor will be used do not worry you are covered – our products also perform well with underfloor heating thanks to the low value of thermal resistance. Additionally, Multiprotec products have a Bfl-S1 fire class.





# SECURA VINYL CLICK

Products dedicated for vinyl floors with click system. Suitable for areas with high traffic level. High CS value improves the quality of the system and increases the durability of the floor. This product is very easy to install and align thanks to accordion form and cutting lines. High IS value - (IS = 19dB) for this XPS products allows for implementation in commercial areas where special parameters are required.



#### MULTIPROTEC VINYL CLICK





| MATERIAL       | PUM+PET               |  |
|----------------|-----------------------|--|
| THICKNESS      | 1,4 mm                |  |
| FORM           | ROLL / 8,5 m²         |  |
| PC             | CLASS PC2 (<1,2 mm)   |  |
| CS             | CLASS CS3 (400 kPa)   |  |
| CC             | CLASS CC3 (<70 kPa)   |  |
| DL CLASS DL3 ( | 3 000 000 CYCLES)     |  |
| RLB CL         | CLASS RLB3 (<1500 mm) |  |
| IS             | <16 dB                |  |
| RWS            | 58 sones              |  |
| FLOOR HEATING  | YES                   |  |
| THERMAL COMFOR | <0,008 m²K/W          |  |
| SD             | >75 m                 |  |
| EAN            | 5905167776339         |  |

#### MULTIPROTEC VINYL CLICK ANTISLIP





| MATERIAL      | PUM+PET                |  |
|---------------|------------------------|--|
| THICKNESS     | 1,6 mm                 |  |
| FORM          | ROLL/8,5 m²            |  |
| PC            | CLASS PC2 (<1,4 mm)    |  |
| CS            | CLASS CS3 (400 kPa)    |  |
| CC            | CLASS CC3 (<60 kPa)    |  |
| DL CLASS DL   | 3 (> 3 000 000 CYCLES) |  |
| RLB           | CLASS RLB3 (<1500 mm)  |  |
| IS            | <16 dB                 |  |
| RWS           | 58 sones               |  |
| FLOOR HEATING | YES                    |  |
| THERMAL COMF  | ORT <0,008 m²K/W       |  |
| SD            | -                      |  |
| EAN           | 5905167721230          |  |

<sup>\*</sup> REMOVE PROTECTIVE FOIL BEFORE INSTALL PANELS

#### MULTIPROTEC CLICK ACOUSTIC







| OK CK                        | MATERIAL.    | PUM+PET                  |
|------------------------------|--------------|--------------------------|
| PRO CLI                      | THICKNESS    | 2,2 mm                   |
| VINA<br>VINA<br>VINA<br>VINA | FORM         | ROLL/7 m²                |
| No.                          | PC           | CLASS PC2 (<1,7 mm)      |
| Waspe (1)                    | CS           | CLASS CS3 (300 kPa)      |
| THE REAL PROPERTY.           | CC           | CLASS CC3 (<50 kPa)      |
| <b>急走</b>                    | DL CLASS D   | )L3 (> 3 000 000 CYCLES) |
|                              | RLB          | CLASS RLB2 (<1100 mm)    |
|                              | IS           | <18 dB                   |
| 9                            | RWS          | 58 sones                 |
|                              | FLOOR HEATIN | G YES                    |
| On the 10                    | THERMAL COM  | FORT <0,01 m²K/W         |
| Arbiton                      | SD           | >75 m                    |
|                              | EAN          | 5905167846063            |

#### SECURA VINYL CLICK









| MATERIAL |               | M-XPS+PET                            |  |
|----------|---------------|--------------------------------------|--|
| THICKNES | S             | 1,5 mm                               |  |
| FORM     |               | SMART / 6,25 m²                      |  |
| PC       | CLA           | SS PC2 (<1,0 mm)                     |  |
| CS       | CLA           | SS CS3 (400 kPa)                     |  |
| CC       | CLA           | SS CC2 (<40 kPa)                     |  |
| DL CL    | ASS DL3 (>1 0 | 00 000 CYCLES)                       |  |
| RLB      | CLASS         | CLASS RLB3 (<1500 mm)                |  |
| IS       | up t          | up to 21 dB / 10 dB Δ <sub>lin</sub> |  |
| RWS      |               | 60 sones                             |  |
| FLOOR HE | ATING         | YES                                  |  |
| THERMAL  | COMFORT       | <0,04 m²K/W                          |  |
| SD       |               | >150 m                               |  |
| EAN      |               | 5905167816943                        |  |

#### TORE MONOCOLOR















PROTECTIVE FOIL
Protective foil removable after renovation









8


22 m



05 | Black (RAL 9011) TORE80 | 5905167845912

衙

22 m



# STIQ XL




















White STX610 5905167839874 44 m



White STXB10 5905167839881 44 m



White STX820 | 5905167839898 \$\frac{1}{2}\$ 44 m

# VINYL CLICK



#### SUPERIORE

| SU CASS205 | BEATRICE OAK  | 5905167856505 |
|------------|---------------|---------------|
| SU CASS225 | SEGOVIA OAK   | 5905167856512 |
| SU CASS208 | BURBON OAK    | 5905167856529 |
| SU CASS210 | ASTURIA OAK   | 5905167856536 |
| SU CASS202 | GREYLAND OAK  | 5905167856543 |
| SU CASS233 | CHARLOTTE OAK | 5905167856550 |
| SU CASS234 | CHEVALIER OAK | 5905167856567 |
| SU CASS235 | BALMORAL OAK  | 5905167856574 |

#### AMARON HERRINGBONE

| CA158   | HARLOW OAK     | 5905167826676 |
|---------|----------------|---------------|
| CA159   | WEMBLEY OAK    | 5905167826683 |
| CA 153  | YANKEE OAK     | 5905167839348 |
| CA 147  | GEORGETOWN OAK | 5905167839355 |
| CA 167  | PRESTON OAK    | 5905167839362 |
| CA 176  | HAYWORTH OAK   | 5905167839492 |
| CA 177  | MEDICCI OAK    | 5905167839508 |
| CA 178  | STAMFORD OAK   | 5905167839515 |
| CA 187  | DEARWOOD OAK   | 5905167839522 |
| CA 184  | WINDSOR OAK    | 5905167839539 |
| CAS 223 | MENOR OAK      | 5905167857090 |
| CAS 226 | EMPIRE OAK     | 5905167857106 |
| CAS 208 | BURBON OAK     | 5905167857113 |
| CAS 236 | DEVENTER OAK   | 5905167857120 |
|         |                |               |

#### WOODRIC EIR

| CWS 201 | DAYTON OAK    | 5905167847671 |
|---------|---------------|---------------|
| CWS 202 | BALTIMORE OAK | 5905167847688 |
| CWS 203 | BRANDON OAK   | 5905167847695 |
| CWS 204 | ELDBORG OAK   | 5905167847701 |
| CWS 205 | HIGHLANDS OAK | 5905167847718 |
| CWS 206 | LAVANT OAK    | 5905167847725 |
| CWS 207 | NORDLAND OAK  | 5905167847732 |
| CWS 208 | GARLAND OAK   | 5905167847749 |
| CWS 209 | SALERNO OAK   | 5905167847756 |
| CWS 210 | CAVAILLON OAK | 5905167847763 |
| CWS 211 | DALLAS OAK    | 5905167847770 |
| CWS 212 | LINCOLN OAK   | 5905167847787 |

#### AMARON WOOD

| CA 102  | ALASKAN OAK    | 5905167856369 |
|---------|----------------|---------------|
| CA 153  | YANKEE OAK     | 5905167856376 |
| CA 154  | SIERRA OAK     | 5905167856383 |
| CA 147  | GEORGETOWN OAK | 5905167856390 |
| CAS 220 | TAMPA OAK      | 5905167856406 |
| CAS 221 | MATTARI OAK    | 5905167856413 |
| CAS 222 | JOHANNES OAK   | 5905167856420 |
| CAS 223 | MENOR OAK      | 5905167856437 |
| CAS 224 | CORNEL OAK     | 5905167856444 |
| CAS 225 | MONTANA OAK    | 5905167856451 |
| CAS 226 | EMPIRE OAK     | 5905167856468 |
| CAS 227 | VIRGIN OAK     | 5905167856475 |
| CAS 228 | PRINCETON OAK  | 5905167856482 |
| CAS 229 | ROCHESTER OAK  | 5905167856499 |
|         |                |               |

#### WOODRIC EIR ACOUSTIC

| CWA175 | WHITECREEK OAK  | 5905167858158 |
|--------|-----------------|---------------|
| CWA176 | HAYWORTH OAK    | 5905167858165 |
| CWA177 | MEDICCI OAK     | 5905167858172 |
| CWA178 | PETERSON OAK    | 5905167858189 |
| CWA179 | ROCKFORD OAK    | 5905167858196 |
| CWA180 | LAWRENCE OAK    | 5905167858202 |
| CWA181 | STAMFORD OAK    | 5905167858219 |
| CWA182 | HOLMAN OAK      | 5905167858226 |
| CWA183 | ROSEVILLE OAK   | 5905167858233 |
| CWA184 | WINDSOR OAK     | 5905167858240 |
| CWA185 | TIMBERSLAND OAK | 5905167858257 |
| CWA186 | LAKEWOOD OAK    | 5905167858264 |
|        |                 |               |

#### WOODRIC

| CW 175 | WHITECREEK OAK  | 5905167847558 |
|--------|-----------------|---------------|
| CW 176 | HAYWORTH OAK    | 5905167847565 |
| CW 177 | MEDICCI OAK     | 5905167847572 |
| CW 178 | PETERSON OAK    | 5905167847589 |
| CW 179 | ROCKFORD OAK    | 5905167847596 |
| CW 180 | LAWRENCE OAK    | 5905167847602 |
| CW 181 | STAMFORD OAK    | 5905167847619 |
| CW 182 | HOLMAN OAK      | 5905167847626 |
| CW 183 | ROSEVILLE OAK   | 5905167847633 |
| CW 184 | WINDSOR OAK     | 5905167847640 |
| CW 185 | TIMBERSLAND OAK | 5905167847657 |
| CW 186 | LAKEWOOD OAK    | 5905167847664 |
|        |                 |               |

#### WOODRIC ACOUSTIC

| CWSA201 | DAYTON OAK    | 5905167858271 |
|---------|---------------|---------------|
| CWSA202 | BALTIMORE OAK | 5905167858288 |
| CWSA203 | BRANDON OAK   | 5905167858295 |
| CWSA204 | ELDBORG OAK   | 5905167858301 |
| CWSA205 | HIGHLANDS OAK | 5905167858318 |
| CWSA206 | LAVANT OAK    | 5905167858325 |
| CWSA207 | NORDLAND OAK  | 5905167858332 |
| CWSA208 | GARLAND OAK   | 5905167858349 |
| CWSA209 | SALERNO OAK   | 5905167858356 |
| CWSA210 | CAVAILLON OAK | 5905167858363 |
| CWSA211 | DALLAS OAK    | 5905167858370 |
| CWSA212 | LINCOLN OAK   | 5905167858387 |
|         |               |               |

# DRYBACK FLOORING



| ALLADONI | LIEDDIN | CDON | 11 |
|----------|---------|------|----|
| AMARON   | HERRIN  | GRON | ٩Ŀ |

| CAA 158   | HARLOW OAK     | 5905167857557 |
|-----------|----------------|---------------|
| CAA 159   | WEMBLEY OAK    | 5905167857564 |
| CAA 153   | YANKEE OAK     | 5905167857571 |
| CAA 147   | GEORGETOWN OAK | 5905167857588 |
| CAA 167   | PRESTON OAK    | 5905167857595 |
| CAA 176   | HAYWORTH OAK   | 5905167857601 |
| CAA 177   | MEDICCI OAK    | 5905167857618 |
| CAA 181   | STAMFORD OAK   | 5905167857625 |
| CAA 187   | DEARWOOD OAK   | 5905167857632 |
| CAA 184   | WINDSOR OAK    | 5905167857649 |
| CASA 223  | MENOR OAK      | 5905167857656 |
| CASA 226  | EMPIRE OAK     | 5905167857663 |
| CASA 208B | BURBON OAK     | 5905167857670 |
| CASA 236  | DEVENTER OAK   | 5905167857687 |

#### WOODRIC

| DW 175 | WHITECREEK OAK  | 5905167855478 |  |
|--------|-----------------|---------------|--|
| DW 176 | HAYWORTH OAK    | 5905167855485 |  |
| DW 177 | MEDICCI OAK     | 5905167855492 |  |
| DW 178 | PETERSON OAK    | 5905167855508 |  |
| DW 179 | ROCKFORD OAK    | 5905167855515 |  |
| DW 180 | LAWRENCE OAK    | 5905167855522 |  |
| DW 181 | STAMFORD OAK    | 5905167855539 |  |
| DW 182 | HOLMAN OAK      | 5905167855546 |  |
| DW 183 | ROSEVILLE OAK   | 5905167855553 |  |
| DW 184 | WINDSOR OAK     | 5905167855560 |  |
| DW 185 | TIMBERSLAND OAK | 5905167855577 |  |
| DW 186 | LAKEWOOD OAK    | 5905167855584 |  |
|        |                 |               |  |

#### AMARON WOOD

| DA 102  | ALASKAN OAK    | 5905167857694 |
|---------|----------------|---------------|
| DA 153  | YANKEE OAK     | 5905167857700 |
| DA 154  | SIERRA OAK     | 5905167857717 |
| DA 147  | GEORGETOWN OAK | 5905167857724 |
| DAS 220 | TAMPA OAK      | 5905167857731 |
| DAS 221 | MATTARI OAK    | 5905167857748 |
| DAS 222 | JOHANNES OAK   | 5905167857755 |
| DAS 223 | MENOR OAK      | 5905167857762 |
| DAS 224 | CORNEL OAK     | 5905167857779 |
| DAS 225 | MONTANA OAK    | 5905167857786 |
| DAS 226 | EMPIRE OAK     | 5905167857793 |
| DAS 227 | VIRGIN OAK     | 5905167857809 |
| DAS 228 | PRINCETON OAK  | 5905167857816 |
| DAS 229 | ROCHESTER OAK  | 5905167857823 |
|         |                |               |

#### WOODRIC EIR

| DWS 201 | DAYTON OAK    | 5905167855591 |
|---------|---------------|---------------|
| DWS 202 | BALTIMORE OAK | 5905167855607 |
| DWS 203 | BRANDON OAK   | 5905167855614 |
| DWS 204 | ELDBORG OAK   | 5905167855621 |
| DWS 205 | HIGHLANDS OAK | 5905167855638 |
| DWS 206 | LAVANT OAK    | 5905167855645 |
| DWS 207 | NORDLAND OAK  | 5905167855652 |
| DWS 208 | GARLAND OAK   | 5905167855669 |
| DWS 209 | SALERNO OAK   | 5905167855676 |
| DWS 210 | CAVAILLON OAK | 5905167855683 |
| DWS 211 | DALLAS OAK    | 5905167855690 |
| DWS 212 | LINCOLN OAK   | 5905167855706 |





www.arbiton.com

The catalogue is a free of charge presentation of products of Decora S.A. and acc. to valid law it is not a commercial offer. Colors and textures of the products in pictures may differ from real ones because of limited printing technologies. Decora S.A. reserves its right to alter availability of the products on some markets and at some distributors. The products included in the catalogues do not pose a complete offer of Decora S.A.

#### DECORA GROUP

Decora S.A., ul. Prądzyńskiego 24a 63-000 Środa Wlkp., Polska tel.: +48 61 28 64 200 fax: +48 61 28 54 975 e-mail: sales@decora.pl www.arbiton.com

#### GERMANY

ewifoam E. Wicklein GmbH Stockumer Str. 28 58453 Witten Tel.: +49 (0) 9261 50 490-0 Fax.: +49 (0) 9261 50 490-50 info@ewifoam.de www.ewifoam.de

v04.2023