



*Tapi***bel**

Your carpet, our tradition

COLLECTION
2024



Your carpet, our tradition.

We are Tapibel, a **passionate carpet manufacturer** based in **Pelt (Belgium)**. We offer modular flooring concepts for every space. Our goal? Sparking creativity with our **innovative and sustainable carpet tile collections**. Get inspired!

Common thread of tradition and respect

Everything starts with the yarn and the fibres. Every carpet and every floor covering starts as a bobbin of basic yarn, millions of yarns that are processed into one whole. The people behind Tapibel know the world of carpet like the back of their hand. We have been true **carpet masters for over fifty years**, producing both tufted and needle felt carpet. We have been passing on the knowledge of carpet production **from generation to generation** since 1970.

You can see, hear and feel **our tradition**: in the authentic factory, in the innovative products, but above all, in the people behind Tapibel. What is our common thread? Respect. Respect for each other, our products, the machines and of course, our customer. The relationships we establish with customers and employees are always **sustainable, open and honest**.

We work with machines to manufacture our carpets and carpet tiles, but **humanity is the central theme**. Our employees man the machines, fill them, adjust them and check the carpets carefully. It's all in the details. Quality and service are key, loose ends (and loose threads) don't stand a chance. Most of our tufted carpets are intended for the contract market for use in offices, hotels and public buildings. Our needle felt carpet is in demand in the event sector.



Strong cohesion

The yarn is processed in the tufting machine. Whether we make a loop pile or cut pile, we always produce a strong and durable carpet. Our employees and customers also strengthen our operation. We prefer to call them “**family**” because it describes our relationship so much better. They are inextricably linked to Tapibel and have worked for decades to make the company what it is today. Each and every day. Thanks to them, we can offer our high-quality products and services.

Flexible connection

The carpet is finished with a strong adhesive compound that holds and connects all the yarns or fibres together. The result is that it forms one whole and remains in good condition. **Flexibility and connection** form the basic yarn of Tapibel. We are prepared to develop and make tailored solutions to our customers. Do you need a smaller number of square metres or maybe more? Do you need a special carpet for an event? We can talk about it. We want to get to know you as a customer and build a strong bond. And we prefer to do that informally.

Global carpet

The result is global carpet. We use the word “global” because Tapibel is a Belgian carpet producer with an international character. We serve customers all over the world. We have customers as far afield as Finland to Cyprus, and from Iceland to Dubai. That means that we naturally take the traditions, customs and trends of the countries to which we export our products into account.

Our carpets and approach are a great fit for today’s world because **we consider ecology and sustainability** to be of paramount importance. We are always looking for ways to make our carpet production more sustainable and ecological. Find out more about all our sustainable initiatives here. We keep our promises and make our promises achievable and tangible.

From basic yarn to carpet, Tapibel is a known, reliable player in the carpet industry. We continue innovating and focussing on (the carpet of) the future without losing sight of our common values.

An aerial photograph showing a winding road cutting through a rural landscape. The fields are a mix of vibrant green and golden-yellow, suggesting a transition between different crops or stages of growth. Small clusters of trees and bushes are scattered across the land, adding to the texture. The road itself is a light-colored, paved surface that curves gracefully through the terrain.

**Twise: sustainable
initiatives for a
greener planet**



Our carpets and our approach fit into today's world as we are committed to ecology and sustainability. We are always looking for ways to make our carpets and carpet production more sustainable and ecological. We make this promise a reality with concrete **ecological solutions for a more sustainable modus operandi**.

Discover Twise, Tapibel's sustainability brand.

Why Twise?

1. Tapibel is “wise” to produce greener carpets.
2. All sustainable solutions contain recyclable material.
We give it a second (and third, fourth, ...) life.

The result?

A more sustainable and ecological carpet, from the yarn to the backing.

As a family business, we also think of the next generations. Thanks to these adjustments they can enjoy a greener world and greener carpet.

Ecofuse

The adhesive



Ecofuse is our **ecological alternative to the traditional latex adhesive** compound in both wall-to-wall carpet and carpet tiles. We replace the latex by a sustainable, post-consumer product called PVB (PolyVinyl Butyral), extracted from used car windows and laminated building glass.

The benefits



of sustainable origin



non-toxic



future-proof



The switch to PVB results
in a latex reduction of
500 tonnes!



Scan the QR code
and discover the PVB
production process!

Ecofuse in our carpets


At Tapibel, we use Ecofuse in many of our carpets. Both in broadloom and in carpet tile.

Precoat

The first adhesive layer between yarn and primary backing to ensure that the yarns bond firmly.


Secondary backing

A second adhesive layer is applied to glue the action or felt backing onto the actual carpet. This final process ensures that the broadloom carpet obtains more body and rigidity.



Greenbase

The modified bitumen backing



Greenbase, short for modified bitumen, is a more sustainable solution for carpet tile backing. It consists of **70% recycled materials** (diverted from a waste stream of the limestone mining) which makes it less harmful to the planet. Greenbase guarantees both dimensional stability and strength in the final product.

70%
recycled
materials



ECONYL®

The yarns



The yarns of several of our collections are made of ECONYL®. The material is made of **100% renewable Polyamide 6 or nylon**. ECONYL® has exactly the same properties of standard nylon with a more durable edge: it can be regenerated indefinitely without loss of quality.

By reusing the materials the ECONYL® yarn contributes to a **circular economy**.



Currently, **25%** of **the yarns** we use in production are **ECONYL®**.



Compared to virgin yarns, the **CO₂ emissions** of ECONYL are reduced by **90%**.

The regeneration process of ECONYL®



2. Regenerate

After a thorough regeneration and purification process, the nylon waste is returned to its original state. The raw material now consists of pellets and dispersions.




4. Reimagine

With this new yarn, manufacturers such as Tapibel can get to work. We create new ECONYL® carpet collections.

1. Rescue

We collect waste (fishing nets, dust scraps, old carpets, etc.). The materials are cleaned and sorted.



3. Remake

ECONYL® regenerated nylon is processed into yarns and textile.





Other sustainability initiatives



a large solar panel park on the roof

The 2500 solar panels generate 500 mW/year which represents 35% of our total electricity consumption.



electric charging stations in the car park

We encourage employees and visitors to drive electric. The charging stations in the car park are a boost.



simultaneous dispatch of samples and orders

We keep polluting transports to a minimum by sending as many orders as possible at the same time.



ecological packaging for our carpets

We pack our carpets in recyclable cardboard boxes.



a heat pump for the offices

The heat pump is powered by the solar panels and extracts heat and cold from the constant temperature of the ground. 9000 metres of ducts filled with water in underfloor heating and a climate ceiling ensure a pleasant temperature.



Compose your ideal carpet

The possibilities are endless with carpet. There are dozens of colours available, in different sizes, with or without special finishes. Add to that the myriad of installation layouts from modular carpet tiles and you can **easily create unique floor concepts.**

Because that personal touch is so important, you can create your own carpet at Tapibel, **starting from as little as 200 m².**

First things first, **the tile format.** Do you choose the larger square tiles (100 x 100 cm) or do you prefer the rectangular tiles of 100 x 50 cm? Want something more special in your interior? The carpet planks of 25 x 100 cm make every room an eye-catcher.

Foot comfort and good acoustics are important advantages of carpet. Do you want to optimize those two aspects? Then choose **Soundbloc** to finish the back of your carpet tile. That way you can enjoy the best that carpet has to offer.


Not found what you are looking for in the colour bank of a collection? Tapibel offers the **Cobalt Colour Concept.** Read more about it on the following pages.

Tile format

Today's working environments or hospitality interiors feature more than just one design or colour style. Interior designers prefer a more **sophisticated** and **creative carpet look** that can be combined with hard flooring specifications. A **unique signature** to each of their projects.

At Tapibel we emphasize the importance of this **modular flooring trend**. For projects **exceeding 200 m²**, **special tile sizes** are made available in both Greenbase or Soundbloc backing.

Custom made tile/plank orders may result in an overproduction of about 10% which is mandatory to purchase. Keep this in mind when you calculate and budget your project work.



Soundbloc

Carpet is a natural sound absorber and reduces impact noise while absorbing sound within the space. **All our qualities** have **sound absorbing properties** and **reduce impact noise**. Several collections even reach the α_w 0,35 threshold, reducing sound up to 50%.

Sound is an **important aspect** in many buildings like office environments, hotels, schools and educational facilities, hospitals, nursing homes and healthcare infrastructure. In all these environments, bad acoustics and intrusive sounds can damage the functionality of the environment.

Modern office workplaces should support work optimally and provide a positive ambiance to the employees. Furthermore, they should encourage staff motivation and the power of concentration. Flexible office structures combined with communicative room structures meet those demands best. Create a **productive environment** by **improving room acoustics** with our **soundabsorbing polyester felt tiles**. Add an extra layer of comfort under working feet and transform offices into pleasant working spaces.



1

Tufted **polyamide top cloth** on a **polyester fleece primary backing** with a **precoat** finish for improved fibre bond

2

Bitumen with glass fibre scrim secondary backing to assure dimensional stability and improve laying properties

3

500gr **Soundbloc** polyester felt backing to increase acoustic performance, durability and underfoot comfort


Cobalt Colour Concept

28 Cobalt colours to create from

At Tapibel we love a creative challenge and we like to stimulate your imagination. Do you want to create a truly unique floor? Then you have to look beyond our stock collections.

Our brand new Cobalt Colour concept will surely fire up your creativity. For projects of over **400 m²**, we can customise any dazzling floor:

- Step 1:** Choose the desired design from our Cobalt Design or ECONYL® Design Collections.
- Step 2:** Choose the two Cobalt SDN colours from our 28 available options.
- Step 3:** Order your customised sample.







64055




64051




64050




64045




64044



64042



64040




64032



64033



64030



64031




64041




64010




64020




64096



64083




64080




64038




64049




64090




64073



64070



64062



64061



64066



64063



64065



64060

Collections



President E 65340
President E 65344
President E 65345



Artisan Tweed 64840

minimalist
timeless
tweed pattern

Artisan Tweed

Artisan Tweed has a **minimalistic yet timeless design**. The tweed pattern is inspired by timeless Chanel fabrics and popular designs in hard flooring such as woven vinyl. The ECONYL® yarn makes this collection a sustainable topper. Artisan Tweed is more subtle and fits into any timeless interior in just about any setting. Mix and match Artisan Tweed with other sustainable designs such as Shoreline and Diamond Art.



Artisan Tweed 64840
Artisan Tweed 64850







64820

LRV 24,42



64821

LRV 21,86



64822

LRV 13,66



64830

LRV 7,84




64838

LRV 11,77



64840

LRV 23,88



64841

LRV 17,57



64842

LRV 12,40



64850

LRV 7,57



64860

LRV 11,09



64866

LRV 11,42



64870

LRV 10,50

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6 - Econyl®

Pile weight
650 g/m² (+/-)

Total weight
4.400 g/m² (+/-)

Pile height
4,0 mm (+/-)

Total height
7,0 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1



ECONYL®
ENDLESS POSSIBILITIES

Carpet tile

Wall-to-wall




Artisan Tweed 64860
Groove Tones 62162
Groove Tones 62185



luxurious
silky
soft

Atlas

Atlas would make an excellent choice. **Elegance and comfort are the keywords here.** Atlas is not a standard carpet; the collection exudes luxury. Thanks to the fine yarn with a striking texture, you enjoy a silky soft feeling. The soft touch is one of the advantages of Atlas. The carpet is suitable for project and residential use. From office to bedroom, Atlas fits any interior. Choose from a wide range of warm colours: cream, grey, ochre or red? The choice is yours!



Atlas 51360





51310 LRV 23,90



51322 LRV 15,90



51320 LRV 14,70



51349 LRV 16,55



51338 LRV 9,76



51380 LRV 4,58



51331 LRV 8,04



51342 LRV 8,11



51323 LRV 14,79



51336 LRV 5,10



51335 LRV 5,83



51351 LRV 2,95



51352 LRV 4,67



51364 LRV 3,76



51350 LRV 5,43



51360

LRV 8,69



51340

LRV 12,13



Atlas 51340

Technical details

Manufacturing type
tufted 1/8"

Construction
cut pile

Pile composition
100% PA - heatset

Pile weight
1.250 g/m² (+/-)

Total weight
4.800 g/m² (+/-)

Pile height
6,0 mm (+/-)

Total height
8,5 mm (+/-)

Size
50 x 50 cm

Classification
32 general commercial

Fire resistance
Bfl-S1



Carpet tile

Wall-to-wall

shiny
superb comfort
soft touch



Belflor SDN Luxe 65730

Belflor SDN Luxe

Belflor SDN Luxe is a shiny collection with a residential look and feel. The thick deep pile creates a luxurious soft touch. Its frisé texture looks best at home and in hotel rooms. The collection is also ideal for high-end office spaces. Available in six neutral colourways.

Belflor SDN Luxe is designed with high-quality, durable materials that promote user well-being.



Belflor SDN Luxe 65730



65720

LRV 32,33



65730

LRV 26,06



65741

LRV 44,38



65743

LRV 17,54



65745

LRV 7,21



65750

LRV 5,65

Technical details

Manufacturing type
tufted 1/8"

Construction
2-ply cut pile

Pile composition
Solution Dyed

Pile weight
1.250 g/m²(+/-)

Total weight
4.800 g/m²(+/-)


Pile height
9,5 mm(+/-)

Total height
12,0 mm(+/-)

Size
50 x 50 cm


Classification
32 general commercial

Fire resistance
Bfl-S1



Carpet tile

Wall-to-wall



Belflor SDN Luxe 65745



lively
transition
versatile

Cobalt Creations

Cobalt Creations is a **modern modular concept of colour transition** that adds character to any interior. The collection combines the uni colours of Cobalt SDN. Create unique floor concepts with the vibrant colour tiles or go for modern and sleek with a neutral transition tile. You can go either way with the numerous laying patterns. The collection consists of 11 colour options.




Cobalt Creations 6384241
Cobalt Creations 6384251
Cobalt SDN 64041
Cobalt SDN 64051



6384283

LRV 9,06



6384280

LRV 8,50



6384238

LRV 9,80



6384249

LRV 14,34



6384290

LRV 15,03



6384273

LRV 10,48



6384263

LRV 9,43



6384260

LRV 7,74



6384251

LRV 7,47



6384250

LRV 8,71



6384241

LRV 15,09

Technical details

Manufacturing type
tufted 1/10"

Construction
loop pile

Pile composition
100% PA 6

Pile weight
550 g/m²(+/-)

Total weight
4.300 g/m²(+/-)

Pile height
3,0 mm(+/-)

Total height
6,0 mm(+/-)

Size
50 x 50 cm


Classification
33 heavy commercial

Fire resistance
Bfl-S1



Cobalt Creations 6384263
Cobalt SDN 64042
Cobalt SDN 64063

Carpet tile




**budget-friendly
reliable
versatile**

Cobalt SDN

Cobalt SDN is our **solid base collection to mix and match with other collections**. Cobalt SDN is budget-friendly and offers 28 colours. Choose from warm, neutral shades or go for fresh, current colours. Combine the uni colours with our latest Cobalt Design Collections: Grunge, Hexagon Art, Cobalt Creations, Expression or Relined to boost any interior. Order Cobalt SDN from stock, all colours are quickly available.

The collection is designed with high-quality, durable materials that promote user well-being through good foot comfort and quiet acoustics.



Cobalt SDN 64061
Cobalt SDN 64062



Cobalt SDN 64033
Cobalt SDN 64041
Relined 6444441



64010 LRV 29,52



64020 LRV 23,25



64031 LRV 11,59



64030 LRV 7,50



64033 LRV 6,19




64055 LRV 2,95




64032 LRV 4,34




64051 LRV 4,05



64050 LRV 5,76



64045 LRV 9,01



64042 LRV 11,13



64040 LRV 16,65



64044 LRV 13,20



64041 LRV 19,33



64096 LRV 3,92



64083 LRV 7,01



64080 LRV 5,73



64038 LRV 8,75



64090 LRV 20,09



64049 LRV 18,59



64070 LRV 5,51



64073 LRV 10,44



64060 LRV 4,05



64065 LRV 4,56



64063 LRV 7,55



64062 LRV 5,76



64061 LRV 9,85



64066 LRV 15,13

Technical details

Manufacturing type
tufted 1/10"

Construction
loop pile

Pile composition
100% PA 6

Pile weight
550 g/m²(+/-)

Total weight
4.300 g/m²(+/-)

Pile height
3,0 mm(+/-)

Total height
6,0 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1




Carpet tile

Wall-to-wall



Cobalt SDN 64061
Cobalt SDN 64062
Cobalt SDN 64065
Cobalt SDN 64066
Cobalt SDN 64090



**economical
functional
wear-resistant**

Coral (Lines)

Coral (Lines) has been developed to be **functional, economical and wear-resistant**. These properties make it extremely suitable for heavy commercial use and intensive project use. Coral is available in seven classic colours. Mix and match Coral or Coral Lines, six matching colours with a stripe design for an original look.




Coral Lines 60340
Coral Lines 60345



58351 LRV 3,85



58350 LRV 5,41



58342 LRV 9,99



58376 LRV 11,23



58360 LRV 6,19



60309 LRV 11,16



58309 LRV 12,39



58380 LRV 5,01



60380 LRV 7,28



60360 LRV 8,07



60376 LRV 10,58



60340 LRV 6,76



60345 LRV 7,58

Technical details

Manufacturing type
tufted 1/10"

Construction
loop pile

Pile composition
100% PA 6 BCF

Pile weight
485 g/m²(+/-)

Total weight
4.200 g/m²(+/-)

Pile height
3,0 mm(+/-)

Total height
5,5 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial


Fire resistance
Bfl-S1



 **Carpet tile**

 **Wall-to-wall**





Scandinavian ultratuft wear-resistant

Country SDN

Country SDN is without doubt **a unique collection thanks to the ultratuft technology**. This special production method results in an extremely durable and wear resistant carpet. Country SDN is the ideal choice for demanding and frequently used areas such as entrance halls, corridors and offices. The typical flat weave look and appearance of Country SDN can often be found in Scandinavian countries. The collection is available in nine minimalist solid colours.



Country SDN 65240
Country SDN 65250
Country SDN 65251
Country SDN 65255



65230

LRV 7,50




65231

LRV 11,59




65240

LRV 16,65



65241

LRV 19,33



65242

LRV 11,13



65244

LRV 13,20



65250

LRV 5,76



65251

LRV 4,05



65255

LRV 2,95

Technical details

Manufacturing type
ultratauft 1/10"

Construction
loop pile

Pile composition
100% PA 6

Pile weight
550 g/m²(+/-)

Total weight
4.100 g/m²(+/-)

Pile height
1,0 mm(+/-)

Total height
5,5 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1



Carpet tile



Country SDN 65230
Country SDN 65241
Country SDN 65244

bold
colourful
unique



Crossline 6623120

Crossline

Crossline is the latest addition to the Cobalt Design Collections. **The unique criss-cross line pattern creates a bold and playful effect.** Moreover, the line design beautifully lends itself to tiling. It can be laid randomly without zippers thanks to the length and lines. The bold pattern is particularly well-suited to hospitality and office environments. Choose from 17 colour options ranging from out-of-the-box ochre yellow to classic anthracite.



Crossline 6623120



6624110

LRV 22,95




6624441

LRV 16,01



6624241

LRV 14,25



6624240

LRV 13,12



6625044

LRV 8,42



6625145

LRV 6,00



6625551

LRV 3,22



6626062

LRV 4,43



6626563

LRV 5,54



6627073

LRV 7,02



6623120

LRV 7,50



6624544

LRV 10,30



6625130

LRV 5,21



6623233

LRV 5,10



6625038

LRV 6,49




662550

LRV 4,00



6625049

LRV 11,23



Crossline 6625049
Cobalt SDN 64050

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
650 g/m² (+/-)

Total weight
4.300 g/m² (+/-)

Pile height
4,0 mm (+/-)

Total height
7,2 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
206 x 172 cm



❖ Carpet tile

⌚ Wall-to-wall



concrete look
diamond pattern
versatile

Diamond Art

Diamond Art has a **check pattern with a concrete look** that draws your gaze to the floor. There is also a diamond pattern in it. This stylish pattern fits any interior, from the contract market to the hospitality sector. The regenerable ECONYL® yarn also makes it an ecological choice. Diamond Art is available in 12 different neutral colours. Combine the bold print of Diamond Art with Groove Tones to create an original look.



Diamond Art 64621
Diamond Art 64638







64620

LRV 24,42



64621

LRV 21,86



64622

LRV 13,66




64630

LRV 7,84



64638

LRV 11,77




64640

LRV 23,88



64641

LRV 17,57



64642

LRV 12,40



64650

LRV 7,57



64660

LRV 11,09



64666

LRV 11,42



64670

LRV 10,50

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6 - Econyl®

Pile weight
650 g/m²(+/-)

Total weight
4.400 g/m²(+/-)

Pile height
4,0 mm(+/-)


Total height
7,0 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
203 x 167 cm



ECONYL®
ENDLESS POSSIBILITIES

Carpet tile

Wall-to-wall




Diamond Art 64622

performance
robust
texture



Diplomat

When it comes to look and feel, Diplomat resembles President E. What are the biggest differences? **Diplomat is more budget-friendly and made with nylon SDN yarns** instead of ECONYL®. The collection combines sturdiness with quality, while the structure and stylish design bring elegance to any room. It is the standard for floor coverings in both commercial and residential environments. The cut pile with frieze creates a nice finish and an interesting look. This robust carpet is also quite durable, so there's no compromise on performance.



Diplomat 66161
Diplomat 66162



66110 LRV 26,11



66120 LRV 14,19




66121 LRV 18,57




66122 LRV 12,10




66124 LRV 7,82




66125 LRV 11,98



66142 LRV 12,30



66144 LRV 6,99



66145 LRV 7,04



66146 LRV 5,24



66150 LRV 3,01



66151 LRV 4,33




66161 LRV 9,78



66162 LRV 4,66



66170 LRV 5,77



66183

LRV 7,09



Diplomat 66145
Diplomat 66183

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
650 g/m² (+/-)

Total weight
4.300 g/m² (+/-)

Pile height
4,0 mm (+/-)


Total height
7,2 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
249 x 278 cm



❖ Carpet tile

⌚ Wall-to-wall



expressive
innovative
natural

Earth

Earth is inspired by nature and has **dynamic patterns and organic colours**. Nature sure is key in this collection because Earth is sustainable, thanks to the 100% regenerable ECONYL® yarn. This unique floor concept lets interior designers indulge themselves. Earth is suitable for any high-end commercial environment. The 11 rich colours bring warmth to any interior.



Earth 61125



61110

LRV 24,21



61111

LRV 21,18



61120

LRV 18,54



61123

LRV 8,55



61125

LRV 5,98



61132

LRV 8,88




61134

LRV 5,30



61140

LRV 12,74



61141

LRV 13,43



61142

LRV 7,09



61150

LRV 6,12

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6 - Econyl®

Pile weight
800 g/m²(+/-)

Total weight
4.550 g/m²(+/-)

Pile height
5,0 mm(+/-)


Total height
8,0 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1


Pattern repeat
405 x 250 cm



ECONYL®
ENDLESS POSSIBILITIES

Carpet tile

Wall-to-wall



Earth 61110



expressive
organic
texture

Expression

Expression's **ship wood or paintbrush pattern catches the eye** and won't leave your attention. Expression belongs to the Cobalt Design Collections. The pattern creates a natural and dynamic look in any interior.

Available in 16 colours, this Solution Dyed product can be effortlessly combined with both the 28 solid colours of Cobalt SDN and the complementary patterns from Grunge, Hexagon Art and Relined. Expression is designed with high-quality, durable materials that promote user well-being.




Expression 6414241
Relined 6444541
Cobalt SDN 64041




Cobalt SDN 64065
Expression 6416540
Cobalt SDN 64040

Mixed organics




Cobalt SDN 64040



Cobalt SDN 64065



Cobalt SDN 64033



Cobalt SDN 64063



Expression 6416540



Pantone
18-1142 TCX
Leather Brown



6414110



LRV 24,15



6414441



LRV 16,07



6414241



LRV 13,92

6414240

LRV 14,20



6414544

LRV 10,61



6413120



LRV 14,98



6415044



LRV 9,59



6413233



LRV 5,19



6415145



6415550



LRV 4,13



6416140



LRV 13,30




6416240

LRV 10,65

6416340

LRV 11,17

6416540



6419640

LRV 8,85



Expression 6415145
Expression 6414240
Cobalt SDN 64042

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
650 g/m² (+/-)

Total weight
4.300 g/m² (+/-)

Pile height
4,0 mm (+/-)


Total height
7,2 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
249 x 278 cm



 Carpet tile

 Wall-to-wall


elegant
mix & match
durable



Groove & Groove Tones

Groove's striped design looks elegant in any room. Thanks to its sustainable, 100% regenerable ECONYL® yarn, it is also an eco-friendly collection. You can place the stylish rug in any setting.

Combine Groove's seven striped colours with the **seven matching solid colours** from the **Groove Tones** collection. Ideal for mixing and matching with Groove's striped design.



Groove 62140
Groove 62165





Groove 62122 LRV 12,65



Groove 62140 LRV 15,24



Groove 62142 LRV 7,50



Groove 62150 LRV 5,34




Groove 62162 LRV 5,34



Groove 62165 LRV 6,06



Groove 62185 LRV 6,27



Groove Tones 62385 LRV 5,47



Groove Tones 62365 LRV 5,87



Groove Tones 62362 LRV 4,54



Groove Tones 62350 LRV 4,24



Groove Tones 62342 LRV 8,80



Groove Tones 62340 LRV 18,34



Groove Tones 62322 LRV 13,98

Technical details

Manufacturing type
tufted 1/10"

Construction
loop pile

Pile composition
100% PA 6 - Econyl®

Pile weight
580 g/m² (+/-)

Total weight
4.400 g/m² (+/-)

Pile height
3,5 mm (+/-)

Total height
6,5 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial


Fire resistance
Bfl-S1



ECONYL®
ENDLESS POSSIBILITIES

Carpet tile

Wall-to-wall



Groove Tones 62350
Groove 62140



concrete look
industrial
modern

Grunge

Grunge is **a bold, industrial and tough design**. The concrete pattern gives a unique look to any interior. Mix and match Grunge with Cobalt SDN's uni colours to design a distinctive flooring concept. The collection is available in 15 different colours that contrast with the rug's industrial look.



Grunge 6423233
Cobalt SDN 64033



6424110

LRV 23,66



6424441

LRV 15,42



6424240

LRV 12,98



6424241

LRV 13,44



6424544

LRV 9,94



6425044

LRV 8,09



6425145

LRV 5,77



6425550

LRV 3,75



6425130

LRV 5,15



6423233

LRV 4,75



6423120

LRV 14,28



6426140

LRV 11,33



6426240

LRV 8,83



6426563

LRV 5,11



6427073

LRV 6,87

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
650 g/m²(+/-)

Total weight
4.300 g/m²(+/-)

Pile height
4,0 mm(+/-)


Total height
7,0 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
203 x 111 cm



Grunge 6425550
Grunge 6424240

Carpet tile

Wall-to-wall



**honeycomb
mix and match
versatile**

Hexagon Art

Hexagon Art has **an original design that draws your gaze to the floor**. The stylish honeycomb pattern fits perfectly in hospitality and office environments. Hexagon Art is available in 16 different colours, ranging from organic to bright shades. Can it be a bit more? Combine the bold print with the matching uni colours from the Cobalt SDN collection. That way, you create a unique flooring concept.

Hexagon Art is designed with high-quality, durable materials that promote user well-being through good comfort underfoot and quiet acoustics.




Hexagon Art 6434441




Hexagon Art 6433120
Cobalt SDN 64020

Cozy geometrics




Cobalt SDN 64031



Cobalt SDN 64020



Hexagon Art 6433120





6434110

LRV 24,64



6434441

LRV 16,24



6434240

LRV 14,27



6434241

LRV 15,07



6435044

LRV 10,04



6433120

LRV 17,21



6433233

LRV 5,20



6435130

LRV 5,81



6435145

LRV 6,41



6435550

LRV 4,42



6436140

LRV 13,70



6436240

LRV 10,88



6436340

LRV 12,23

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
650 g/m²(+/-)

Total weight
4.300 g/m²(+/-)

Pile height
4,0 mm(+/-)


Total height
7,0 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial


Fire resistance
Bfl-S1

Pattern repeat
203 x 167 cm



Carpet tile

Wall-to-wall



Hexagon Art 6436240
Hexagon Art 6434241

classic
hard-wearing
reliable



Lisbon

Lisbon **combines sturdiness with a classic look** thanks to its velour texture. The carpet is popular in the hospitality sector, public spaces and offices. The short-pile design makes the collection extremely durable. Lisbon can take a beating. Choose from 11 different colours, ranging from neutral tones to brighter colours.



Lisbon 51539
Lisbon 51561



51521

LRV 14,94



51520

LRV 9,61



51538

LRV 10,86



51539

LRV 6,17



51583

LRV 6,29



51561

LRV 8,21




51562

LRV 4,71



51570

LRV 6,32



51542

LRV 9,76



51530

LRV 4,66



51550

LRV 4,67

Technical details

Manufacturing type
tufted 1/10"

Construction
cut pile

Pile composition
100% PA 6 BCF

Pile weight
700 g/m²(+/-)

Total weight
4.450 g/m²(+/-)



Pile height
4,5 mm(+/-)

Total height
7,5 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial


Fire resistance
Bfl-S1



Lisbon 51542

Carpet tile

Wall-to-wall




elegant
solid
timeless

Milano II

Milano II is a **timeless classic thanks to its pindot design**. The collection fits any interior, from commercial settings to the hospitality sector and office spaces. Milano II offers elegance and class with a modern touch. The solid design also makes the carpet colourfast, stain-resistant and soundabsorbing. The collection consists of 14 solution dyed colours.



Milano II 60960



60920 LRV 14,24



60938 LRV 7,91



60931 LRV 4,64



60980 LRV 4,60



60981 LRV 5,25



60960 LRV 4,49



60964 LRV 4,47



60976 LRV 6,83



60940 LRV 11,01



60922 LRV 11,65



60942 LRV 5,67



60925 LRV 5,83



60950 LRV 4,19



60951 LRV 3,74

Technical details

Manufacturing type
tufted 1/10"

Construction
coc cut pile

Pile composition
100% PA 6 BCF

Pile weight
800 g/m²(+/-)

Total weight
4.450 g/m²(+/-)


Pile height
4,5 mm(+/-)

Total height
7,0 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial


Fire resistance
Bfl-S1



Milano II 60950

Carpet tile

Wall-to-wall



creative
dynamic
textured

Normandy

Normandy is **one of our most creative collections**. The thicker pile, striking colours and cool design immediately catch the eye. Create dynamic floor concepts using the 11 colours.




Normandy 59570
Normandy 59590



59538 LRV 8,84




59549 LRV 17,90



59555 LRV 4,52




59560 LRV 4,29



59563 LRV 4,77



59570 LRV 10,61



59575 LRV 13,66



59576 LRV 9,46



59583 LRV 7,32



59590 LRV 19,82



59596 LRV 4,05

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6 BCF

Pile weight
850 g/m²(+/-)

Total weight
4.600 g/m²(+/-)


Pile height
6,5 mm(+/-)

Total height
8,5 mm(+/-)

Size
25 x 100 cm


Classification
33 heavy commercial

Fire resistance
Bfl-S1



Carpet tile

Wall-to-wall



Normandy 59555

durable
organic look
wood effect



Oak

Oak **brings nature into any interior.** We got the idea for this collection from popular wooden floors. We incorporated the beauty of nature into a wood effect carpet plank. Yes, a plank, not a standard tile. The plank shape emphasises the natural look of the carpet. In addition to being unique, Oak is also sustainable. The collection is made from regenerated ECONYL® yarn. This unique floor concept lets interior designers indulge themselves. Oak is suitable for commercial use. Thanks to its organic and warm appearance, it is a winner in public spaces. It is equally suitable for a lobby, entrance hall or town hall.



Oak 59432



59410 LRV 24,21



59411 LRV 21,18



59420 LRV 18,54



59423 LRV 8,88



59425 LRV 8,55



59432 LRV 5,98



59434 LRV 5,30



59441 LRV 13,43



59442 LRV 7,09



59450 LRV 6,12



59440 LRV 12,74

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6 - Econyl®

Pile weight
800 g/m² (+/-)

Total weight
4.550 g/m² (+/-)

Pile height
5,0 mm (+/-)

Total height
8,0 mm (+/-)

Size
25 x 100 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
203 x 250 cm




ECONYL®
ENDLESS POSSIBILITIES



Plank tile





result-oriented
solid
sustainable

President E


President E **combines durability with superior quality.** The updated colour palette makes interesting designs whilst the structure creates an elegant look. President E is made from Solution Dyed Nylon and is the standard for floor coverings in both commercial and residential areas.

The frisé cut pile creates a neat finish and interesting look without sacrificing on performance. President E is made of 100% regenerable ECONYL® yarn. Choose from 17 contemporary colours.

President E 65323




President E 65323




65310

LRV 22,25




65323

LRV 17,72




65340

LRV 14,48



65341

LRV 9,22



65346

LRV 10,14



65350

LRV 4,46



65351

LRV 3,50



65345

LRV 4,73



65344

LRV 5,88



65360

LRV 7,69



65363

LRV 7,97



65370

LRV 10,65



65338

LRV 12,43



65349

LRV 13,13



65322

LRV 11,88



65332

LRV 6,55



65320

LRV 17,76



President E 65310
President E 65349
President E 65360
President E 65363
President E 65370

Technical details

Manufacturing type
tufted 1/10"

Construction
3-ply cut pile

Pile composition
100% PA 6 heatset - Econyl®

Pile weight
1.300 g/m² (+/-)

Total weight
4.800 g/m² (+/-)

Pile height
5,5 mm (+/-)

Total height
8,0 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1



ECONYL®
ENDLESS POSSIBILITIES

Carpet tile

Wall-to-wall

**contrast
striped design
versatile**



Relined

Relined adds something extra to any office space. **The design with soft linear contrast creates an interesting and contemporary look.** The collection fits perfectly in office environments, the hospitality sector and in public spaces. Mix and match Relined with the Cobalt SDN uni colours to design a unique flooring concept.

The collection consists of 14 playful colour options ranging from greige to vibrant shades. Relined is designed with high-quality, durable materials that promote user well-being through good comfort underfoot and quiet acoustics.



Broadloom
Relined 6447073





6444110

LRV 24,25



6443120

LRV 16,94



6443233

LRV 5,22



6443230

LRV 5,96



6448038

LRV 7,54



6446063

LRV 5,76



6446061

LRV 6,75



6446140

LRV 13,06



6447073

LRV 7,98



6444541

LRV 14,21



6444441

LRV 16,32



6445042

LRV 8,52



6445142

LRV 6,83



6445550

LRV 4,19

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
600 g/m²(+/-)

Total weight
4.300 g/m²(+/-)

Pile height
4,0 mm(+/-)

Total height
7,0 mm(+/-)

Size
50 x 50 cm


Classification
33 heavy commercial

Fire resistance
Bfl-S1



Carpet tile

Wall-to-wall



Relined 6445042




Shoreline 65022

expressive
natural
texture

Shoreline

Shoreline is **the ecological variant of Expression**. The ECONYL®yarn makes this collection a sustainable gem. Like Expression, Shoreline is daring and expressive. The ship's wood or paintbrush pattern catches the eye and holds the attention. The pattern on the carpet creates an interesting floor concept. Shoreline consists of 12 colour options, ranging from warm, natural tones to some fresh, bright colours.



Shoreline 65022
Shoreline 65070









65020

LRV 24,42



65021

LRV 21,86



65022

LRV 13,66



65030

LRV 7,84



65038

LRV 11,77



65040

LRV 23,88



65041

LRV 17,57



65042

LRV 12,40



65050

LRV 7,57



65060

LRV 11,09



65066

LRV 11,42



65070

LRV 10,50

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6 - Econyl®

Pile weight
650 g/m²(+/-)

Total weight
4.400 g/m²(+/-)

Pile height
4,0 mm(+/-)


Total height
7,0 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
249 x 278 cm



ECONYL®
ENDLESS POSSIBILITIES

Carpet tile

Wall-to-wall



Shoreline 65021
President E 65350



edgy
original
random pattern

Urban Textures

Urban Textures has **a special criss-cross pattern** that you can use in all directions. The collection makes a statement in a hospitality setting as well in office rooms. Colour outside the lines with the original design from Urban Textures. A bold yet ecological choice thanks to the regenerable ECONYL® yarn. Urban Textures consists of 13 neutral colours.



Urban Textures 64921
Urban Textures 64922







64920 LRV 24,42



64921 LRV 21,86



64922 LRV 13,66



64930 LRV 7,84



64938 LRV 11,77



64940 LRV 23,88



64941 LRV 17,57



64942 LRV 12,40



64950 LRV 7,57



64960 LRV 11,09



64966 LRV 11,42



64970 LRV 10,50

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6 - Econyl®

Pile weight
600 g/m²(+/-)

Total weight
4.300 g/m²(+/-)

Pile height
3,5 mm(+/-)

Total height
6,5 mm(+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
244 x 200 cm



ECONYL®
ENDLESS POSSIBILITIES

Carpet tile

Wall-to-wall



Urban Textures 64940
Urban Textures 64970



artistic
patchwork
printed

Vintage

Vintage is perhaps one of Tapibel's **most original collections**. The artistic patchwork prints create a warm atmosphere. The sustainable ECONYL® carpet is originally made white and is then printed with ChromoJet technology. Dare to think outside the box and design your own unique floor concept. Each room can tell its own story using the three unique Vintage collection patterns:

Felina

A criss-cross pattern that closely resembles typical patchwork.

Firenze

A static pattern with accents of columns from ancient Florence.

Ferrara

A calmer weave pattern with bright colour combinations.


The three patterns are available in six coloured prints that you can mix and match.



Vintage Felina 59820



Felina 59820 LRV 23,16



Felina 59840 LRV 17,71



Felina 59842 LRV 13,90



Felina 59871 LRV 21,18



Felina 59884 LRV 20,80




Ferrara 59911 LRV 24,35



Ferrara 59941 LRV 31,39



Ferrara 59960 LRV 23,77



Ferrara 59962 LRV 21,65



Ferrara 59970 LRV 22,61



Firenze 60020 LRV 27,64




Firenze 60040 LRV 29,05



Firenze 60042 LRV 21,96



Firenze 60060 LRV 27,38




Firenze 60083 LRV 30,06



Felina 59899

LRV 21,63



Ferrara 59976

LRV 25,79



Firenze 60084

LRV 19,43



Vintage Firenze 60042

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6 - Econyl®

Pile weight
900 g/m² (+/-)

Total weight
4.500 g/m² (+/-)

Pile height
5,0 mm (+/-)

Total height
7,0 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
Felina: 98,5 x 142,5 cm
Firenze: 98,5 x 98,5 cm



ECONYL®
ENDLESS POSSIBILITIES

Carpet tile

Wall-to-wall

Technical details carpet tiles

Collection	Page	Manufacturing type	Pile composition	Secondary backing	Pile weight	Total weight	Pile height	Total height	Tuft density	Size
Artisan Tweed	24	tufted 1/10"	100% PA 6 - Econyl®	GREENBASE modified bitumen	650 (+/-) g/m²	4.400 (+/-) g/m²	4,0 (+/-) mm	7,0 (+/-) mm	192.000 (+/-) /m²	50 x 50 cm
Atlas	32	tufted 1/8"	100% PA - heatset	GREENBASE modified bitumen	1.250 (+/-) g/m²	4.800 (+/-) g/m²	6,0 (+/-) mm	8,5 (+/-) mm	125.000 (+/-) /m²	50 x 50 cm
Belflor SDN Luxe	36	tufted 1/8"	100% PA 6	GREENBASE modified bitumen	1.250 (+/-) g/m²	4.800 (+/-) g/m²	9,5 (+/-) mm	12,0 (+/-) mm	144.000 (+/-) /m²	50 x 50 cm
Cobalt Creations	40	tufted 1/10"	100% PA 6	GREENBASE modified bitumen	550 (+/-) g/m²	4.300 (+/-) g/m²	3,0 (+/-) mm	6,0 (+/-) mm	164.000 (+/-) /m²	50 x 50 cm
Cobalt SDN	44	tufted 1/10"	100% PA 6	GREENBASE modified bitumen	550 (+/-) g/m²	4.300 (+/-) g/m²	3,0 (+/-) mm	6,0 (+/-) mm	164.000 (+/-) /m²	50 x 50 cm
Coral (Lines)	50	tufted 1/10"	100% PA 6 BCF	GREENBASE modified bitumen	485 (+/-) g/m²	4.200 (+/-) g/m²	3,0 (+/-) mm	5,5 (+/-) mm	175.000 (+/-) /m²	50 x 50 cm
Country SDN	54	ultratuft 1/10"	100% PA 6	GREENBASE modified bitumen	550 (+/-) g/m²	4.100 (+/-) g/m²	1,0 (+/-) mm	5,5 (+/-) mm	164.000 (+/-) /m²	50 x 50 cm
Crossline	58	tufted 1/10"	100% PA 6	GREENBASE modified bitumen	650 (+/-) g/m²	4.300 (+/-) g/m²	4,0 (+/-) mm	7,0 (+/-) mm	191.000 (+/-) /m²	50 x 50 cm
Diamond Art	62	tufted 1/10"	100% PA 6 - Econyl®	GREENBASE modified bitumen	650 (+/-) g/m²	4.400 (+/-) g/m²	4,0 (+/-) mm	7,0 (+/-) mm	192.000 (+/-) /m²	50 x 50 cm
Diplomat	70	tufted 1/8"	100% PA - heatset	GREENBASE modified bitumen	1.150 (+/-) g/m²	4.600 (+/-) g/m²	5,5 (+/-) mm	8,0 (+/-) mm	146.000 (+/-) /m²	50 x 50 cm
Earth	74	tufted 1/10"	100% PA 6 - Econyl®	GREENBASE modified bitumen	800 (+/-) g/m²	4.550 (+/-) g/m²	5,0 (+/-) mm	8,0 (+/-) mm	190.000 (+/-) /m²	50 x 50 cm
Expression	78	tufted 1/10"	100% PA 6	GREENBASE modified bitumen	650 (+/-) g/m²	4.300 (+/-) g/m²	4,0 (+/-) mm	7,0 (+/-) mm	191.000 (+/-) /m²	50 x 50 cm
Groove & Groove Tones	86	tufted 1/10"	100% PA 6 - Econyl®	GREENBASE modified bitumen	580 (+/-) g/m²	4.400 (+/-) g/m²	3,5 (+/-) mm	6,5 (+/-) mm	155.000 (+/-) /m²	50 x 50 cm
Grunge	90	tufted 1/10"	100% PA 6	GREENBASE modified bitumen	650 (+/-) g/m²	4.300 (+/-) g/m²	4,0 (+/-) mm	7,0 (+/-) mm	191.000 (+/-) /m²	50 x 50 cm
Hexagon Art	94	tufted 1/10"	100% PA 6	GREENBASE modified bitumen	650 (+/-) g/m²	4.300 (+/-) g/m²	4,0 (+/-) mm	7,0 (+/-) mm	191.000 (+/-) /m²	50 x 50 cm
Lisbon	102	tufted 1/10"	100% PA 6 BCF	GREENBASE modified bitumen	700 (+/-) g/m²	4.450 (+/-) g/m²	4,5 (+/-) mm	7,5 (+/-) mm	196.000 (+/-) /m²	50 x 50 cm
Milano II	106	tufted 1/10"	100% PA 6 BCF	GREENBASE modified bitumen	800 (+/-) g/m²	4.450 (+/-) g/m²	4,5 (+/-) mm	7,0 (+/-) mm	223.000 (+/-) /m²	50 x 50 cm
Normandy	110	tufted 1/10"	100% PA 6 BCF	GREENBASE modified bitumen	850 (+/-) g/m²	4.600 (+/-) g/m²	6,5 (+/-) mm	8,5 (+/-) mm	238.000 (+/-) /m²	25 x 100 cm
Oak	114	tufted 1/10"	100% PA 6 - Econyl®	GREENBASE modified bitumen	800 (+/-) g/m²	4.550 (+/-) g/m²	5,0 (+/-) mm	8,0 (+/-) mm	190.000 (+/-) /m²	25 x 100 cm
President E	120	tufted 1/10"	100% PA heatset - Econyl®	GREENBASE modified bitumen	1.300 (+/-) g/m²	4.800 (+/-) g/m²	5,5 (+/-) mm	8,0 (+/-) mm	189.000 (+/-) /m²	50 x 50 cm
Relined	124	tufted 1/10"	100% PA 6	GREENBASE modified bitumen	600 (+/-) g/m²	4.300 (+/-) g/m²	4,0 (+/-) mm	7,0 (+/-) mm	191.000 (+/-) /m²	50 x 50 cm
Shoreline	128	tufted 1/10"	100% PA 6 - Econyl®	GREENBASE modified bitumen	650 (+/-) g/m²	4.400 (+/-) g/m²	4,0 (+/-) mm	7,0 (+/-) mm	192.000 (+/-) /m²	50 x 50 cm
Urban Textures	136	tufted 1/10"	100% PA 6 - Econyl®	GREENBASE modified bitumen	600 (+/-) g/m²	4.300 (+/-) g/m²	3,5 (+/-) mm	6,5 (+/-) mm	192.000 (+/-) /m²	50 x 50 cm
Vintage	144	tufted 1/10"	100% PA 6 - Econyl®	GREENBASE modified bitumen	900 (+/-) g/m²	4.500 (+/-) g/m²	5,0 (+/-) mm	7,0 (+/-) mm	191.000 (+/-) /m²	50 x 50 cm

Classification	Comfort rating	Dimensional stability	Fire resistance	Thermal resistance	Sound absorption	Impact sound reduction	Light fastness	Rubbing fastness	Pattern repeat (W x H)
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,072 m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 5	≥ 7	
32	LC 3	≤ 0,2%	Bfl-S1 loose laid	0,073 m ² /K/W	0,25 α _w	29 dB ΔL _w 50 dB ΔL (1000 Hz)	≥ 6	≥ 4-5	
32	LC 5	≤ 0,2%	Bfl-S1 loose laid	0,122 m ² /K/W	0,20 α _w	25 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 7	≥ 5	
33	LC 2	≤ 0,2%	Bfl-S1 loose laid	0,064 m ² /K/W	0,15 α _w	24 dB ΔL _w 35 dB ΔL (1000 Hz)	8	4-5	
33	LC 2	≤ 0,2%	Bfl-S1 loose laid	0,064 m ² /K/W	0,15 α _w	24 dB ΔL _w 35 dB ΔL (1000 Hz)	8	4-5	
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,066 m ² /K/W	0,15 α _w	23 dB ΔL _w 35 dB ΔL (1000 Hz)	≥ 8	≥ 4-5	
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,064 m ² /K/W	0,15 α _w	21 dB ΔL _w 33 dB ΔL (1000 Hz)	8	4-5	
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,072 m ² /K/W	0,15 α _w	26 dB ΔL _w 43 dB ΔL (1000 Hz)	8	4-5	206 x 172 cm
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,072 m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 7	≥ 5	203 x 167 cm
33	LC 4	≤ 0,2%	Bfl-S1 loose laid	0,086 m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 7	≥ 5	
33	LC 2	≤ 0,2%	Bfl-S1 loose laid	0,100 m ² /K/W	0,20 α _w	27 dB ΔL _w 39 dB ΔL (1000 Hz)	≥ 7	≥ 5	405 x 250 cm
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,066 m ² /K/W	0,15 α _w	25 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 6	4-5	249 x 278 cm
33	LC 2	≤ 0,2%	Bfl-S1 loose laid	0,057 m ² /K/W	0,15 α _w	24 dB ΔL _w 33 dB ΔL (1000 Hz)	6-7	4-5	
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,066 m ² /K/W	0,15 α _w	25 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 6	4-5	203 x 111 cm
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,066 m ² /K/W	0,15 α _w	25 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 6	4-5	203 x 167 cm
33	LC 2	≤ 0,2%	Bfl-S1 loose laid	0,068 m ² /K/W	0,20 α _w	27 dB ΔL _w 45 dB ΔL (1000 Hz)	≥ 7-8	≥ 4-5	
33	LC 2	≤ 0,2%	Bfl-S1 loose laid	0,068 m ² /K/W	0,20 α _w	29 dB ΔL _w 49 dB ΔL (1000 Hz)	≥ 6	≥ 4-5	
33	LC 2	≤ 0,2%	Bfl-S1 loose laid	0,099 m ² /K/W	0,20 α _w	27 dB ΔL _w 39 dB ΔL (1000 Hz)	≥ 6	≥ 3	
33	LC 2	≤ 0,2%	Bfl-S1 loose laid	0,100 m ² /K/W	0,20 α _w	27 dB ΔL _w 39 dB ΔL (1000 Hz)	≥ 7	≥ 5	203 x 250 cm
33	LC 4	≤ 0,2%	Bfl-S1 loose laid	0,073 m ² /K/W	0,25 α _w	29 dB ΔL _w 50 dB ΔL (1000 Hz)	≥ 7	≥ 5	
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,066 m ² /K/W	0,15 α _w	25 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 6	4-5	
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,072 m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 7	≥ 5	249 x 278 cm
33	LC 1	≤ 0,2%	Bfl-S1 loose laid	0,072 m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 7	≥ 5	244 x 200 cm
33	LC 2	≤ 0,2%	Bfl-S1 loose laid	0,068 m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000 Hz)	≥ 5-6	≥ 3-4	Felina: 98,5 x 142,5 cm Firenze: 98,5 x 98,5 cm





www.tapibel.be - sales@tapibel.be

Industrielaan 4 - Nolimpark 1319

B-3900 Pelt - Belgium

Tel : +32 11 80 48 50

