

high tech flooring

High-tech woven flooring

Brand catalogue 2025



High-tech woven flooring

Your responsible choice in flooring. High-tech, high design.





⁰⁹ — Aesthetics & technology united

Find out how our refined high-tech woven flooring fits your everyday needs in performance and acoustics, while presenting a great look and feel.

Sustainably produced — 23

Learn how we care for our planet by investing in more sustainable and durable products, eco-conscious production processes and a circular future.

³³ — Sector solutions

Our vast library of products allows you to design any kind of environment: from a productive workspace, to a hospitable hotel lobby.

Timeless collections — 65

Discover our collections: a wide range of designs and patterns, available in an abundance of colours.

123 — 2TEC2 Rugs

Beautiful textures in popular rug shapes to create inviting spaces.

Installation, maintenance & technical info


Learn all about the high-tech performance of our refined woven flooring and how to install and maintain your 2TEC2 floor as beautiful as it was intended to be.

Samples & tools

Don't hesitate to order your samples, contact us or visualise your upcoming project with our images, BIM files or digital simulator.









2TEC2 is a brand that continuously strives for innovation in terms of technology and sustainability. The 'TEC' in our name refers to our ambition to make a difference in the flooring world with a high-tech product for architects, for people and for the planet.

We invest heavily in the development of new materials, improved product design and a fully circular process. Sustainable entrepreneurship is our duty as a company in the years to come.


We strongly believe that **design** can go hand in hand with respect for the environment. Aesthetics are at the heart of 2TEC2, it's our DNA. Our flooring is completely designed and produced in Belgium, guaranteeing total control and premium quality. Our personal and family-oriented nature, our passion for textures and our appreciation for craftsmanship form the basis of our business philosophy.






Creation and management 2TEC2,

Katia Dewitte and Philippe Hanet.





Aesthetics & technology united

Refined aesthetics — 10

High tech, high performance - 12

Excellent acoustics - 16

Cleanability - 18

Health & hygiene — 19

Safety compliance — 21

etece®

Refined aesthetics



UNIQUE DESIGNS

Natural elements are the inspiration for our biophilic designs. Nature is always in balance, its appealing aesthetics never fade. This is what we strive for: to achieve natural beauty and balance indoors.


- → We keep up with the newest trends in interior design.
- → We provide timeless flooring that never goes out of style.
- → We create our own colours and thus provide a wide range of original shades.




ENDLESS DESIGN CREATIVITY

Our flooring is standardly available in tiles, planks or rolls. You can also discover the fun and unique shapes of our Play concept on p 120. For important projects, you can create your own design and colour.

Our standard sizes:









STRUCTURE & TEXTURE


The woven top layer has a textured look and feel. The 3D-jacquard weave with round vinyl yarns is truly unique and exudes luxury.



COLOUR CHANGE

With 2TEC2 flooring, you can create a unique design effect. The woven structure offers a change of colour, depending on the installation and point of view.







SEAMLESS

Nearly all our designs are seamless in an ashlar or brick installation pattern. This means you are not able to see the seams between the tiles. This creates a nice broadloom effect.



DIRT CONCEALING

Our designs can visually conceal dirt or stains, because we play with design, colour, and texture. Your floor can be thoroughly cleaned with every next cleaning round.



ZONING

Flooring is the perfect way to visually and functionally define different zones in bigger spaces. By using tiles in different colours from our wide range of shades, you can easily create several areas serving different purposes.

High tech, high performance





BEST OF BOTH WORLDS

We offer the durability and cleanability of hard flooring combined with the acoustic properties and comfort of soft flooring.



CLASS 33 HEAVY COMMERCIAL USE*

2TEC2 floors are ideal for the project market: they are suited for high traffic levels, castor chair tested, and shockproof. Thanks to their long life span, we are confident to offer a warranty of 15 years.

(*) According to EN1307.





COLOUR FASTNESS

Our floors retain their colours, even when exposed to heavy foot traffic and light. This is because our vinyl yarns are coloured to the core.



LIGHT REFLECTION VALUE (LRV)

LRV is a score that indicates how much a surface reflects light. Thanks to our wide range of values, you can brighten up a room or prevent overexposure. A document with all values is available for you at your request.



DIMENSIONAL STABILITY

Our strong build-up of layers and our tight weave of yarns with a fibreglass core guarantee a high dimensional stability. This results in minimal shrinkage or expansion when exposed to changes in temperature or humidity.



UNDERFOOT WALKING COMFORT

The underlayer of floorings has an important impact on walking comfort and how knees, feet, and back are affected by steps. 2TEC2's felt underlayer provides extra comfort.





QUALITY CONTROL

All our products are quality and performance tested in external certified labs to get the necessary certificates. We also invested heavily in our own laboratory in order to perform daily in-house testing and to deliver the best quality.



EASY INSTALLATION

2TEC2 floors allow a hassle-free installation, they require little preparation and tools.



NON-PERMANENT INSTALLATION

Our tiles are installed with a tackifier adhesive.
This makes them stay in place, yet easy to remove and replace when necessary or even reuse in another space. The ideal and modular flooring solution for projects.



RAISED FLOORING SYSTEM

2TEC2 is the perfect choice for raised flooring systems, keeping easy access to technical installations beneath the floor.



FLOOR HEATING

Our floors are suitable for underfloor heating or cooling, allowing installations to perform as they should and creating comfortable spaces.



Excellent acoustics

WHAT HAPPENS WHEN SOUND WAVES **COLLIDE WITH A SURFACE?**

When a sound collides with a surface, it can go three ways:

① it can be **echoed** back

- 16

- ② it can be **absorbed** by the surface
- ③ it can **go through** the surface

Your choice of flooring has an impact on what happens and thus defines your level of acoustic comfort.

② Absorbed noise

 $0,15~\mathrm{C}_{_{\mathrm{M}}}$ sound absorption

اارا SonoFelt®

Our acoustic comfort backing SonoFelt® provides maximum acoustic wellbeing.



10 WALKING NOISE REDUCTION

This concerns sound waves which are echoed back

'Walking noise reduction' is the difference in noise level when walking on 2TEC2 flooring compared to walking on laminate.

2TEC2's SonoFelt® 19dB backing reduces walking noise by







2 ACOUSTICAL SOUND ABSORPTION

This applies to the absorbed noise in a room.

'Acoustical sound absorption' is the level of absorption of sound waves in a room. When a sound wave hits a surface, a portion of that wave is reflected, a part is absorbed. The better the absorption of a sound wave, the less reverberation.

2TEC2 absorbs 15% (0.15 aw) of the sound waves that hit the floor.









3 IMPACT SOUND REDUCTION

This metric refers to the level by which sound waves are transmitted through the floor into the room beneath.

'Impact sound reduction' is the difference in noise levels as measured in the room beneath the floor when walking on 2TEC2 flooring compared to walking on a concrete floor.

→ 2TEC2's SonoFelt® 19dB acoustic backing reduces the sound coming from the room above by 19dB.

Easy cleanability





EASY MAINTENANCE

Our floors can be easily cleaned with just water, there is no need for hazardous chemical cleaning products. They are also stain-resistant. Since they do not absorb any liquids, stains are easy to remove.



- 18

DUST RESISTANT MESH

Our top layer traps dust and dirt, allowing for effective cleaning with a vacuum cleaner and water.



WATERPROOF

Our superior woven texture is waterproof, so it is very easy to rinse dirt away. Also, our floors are not affected by moist conditions.

They offer ease of use for spas and gyms or healthcare environments.

Health & hygiene



ANTI-ALLERGENIC PROPERTIES

The structure of our flooring keeps dust particles from floating around, so they cannot affect your health. Most of all, unlike a regular carpet, they can be easily vacuumed and removed. We don't use materials that can cause an allergic reaction.







SUITABLE FOR DISINFECTION

Our floors are resistant to disinfectants, a necessity in healthcare environments. The yarn's colour intensity is not affected, even after years of maintenance.



ANTI-FUNGAL PROPERTIES

Our floors obtained the best score in specialised tests. This certifies that 2TEC2 floors do not allow fungi to grow, which makes them an ideal solution for moist environments.

2tec2



NO HARMFUL VOLATILE ORGANIC COMPOUND EMISSIONS (VOC'S)

2TEC2 flooring ensures a safe and healthy environment without indoor air pollution. Our floors are Indoor Air Comfort Gold and FloorScore certified, meaning they release no harmful VOCs.






We avoid the use of harmful raw materials in the production of our floors.

- 20



Safety compliance





REACTION TO FIRE

All our floors are fire-retardant. 2TEC2 features a **Bfl-s1 classification**, the most strict fire class for textile floor covering.



ANTI-SLIP PROPERTIES

Our floors have **anti-slip properties**, which minimises the risk of falling. This makes us an excellent option for healthcare environments and public spaces.



ANTI-STATIC PROPERTIES


Walking on plastic or carpeted floors creates friction that can make you electrically charged. Thanks to our anti-static additives, we prevent this from happening.

NO DANGEROUS SUBSTANCES

Our flooring contains **no dangerous substances** like **phthalates** and heavy metals. We are REACH compliant and M1 certified.







Sustainably produced

2TEC2 is devoted to designing and producing recyclable woven flooring. We aim for the highest sustainability performance, while preserving and protecting the world beneath our feet.

Care, Circularity & Compliance — 24

Sustainable Development Goals — 25

The green revolution of bio-based materials — 26

Our own recycling facility — 27

Our journey towards a circular future — 28

Our environmental impact & EPD - 30

Compliance & certifications — 31

3 C's

Care, Circularity and Compliance.

CARE

Care for our planet & environment Care for people & health

At 2TEC2, we produce responsibly by increasing our use of renewable resources and decreasing our CO₂ emissions through:

- → 100% vertically integrated process in one location, minimising transports.
- → Energy optimisation with photovoltaic panels and a giant battery energy storage system (BESS), as well as a heat recovery system and a closed water cooling system to reuse energy and water.

Also, your health and comfort is top priority for 2TEC2. We make a difference through:

- → A flooring solution with no harmful VOC emissions and absolutely free of phthalates or heavy metals
- → Excellent hygiene and cleanability
- → Excellent acoustics




CIRCULARITY
Circularity, recycled content and recyclability

Our goal is to reach 0% virgin fossil raw material and to be fully recyclable. We achieve this ambition through innovative action plans on:

- → Bio-based materials: the top weave of our newest collections is bio-based. This is a renewable resource
- → Recycled contents: our acoustic SonoFelt® backing consists of 70% reycled PET.
- → 100% recyclable product: 2TEC2 is designed and produced to be recycled and to regenerate new 2TEC2 flooring again and again.
- → In-house recycling plant: pre-consumer waste is converted into new tiles.

COMPLIANCE

2TEC2 complies with a series of respected international certificates and labels that are proof of our commitments and actions for a more sustainable future.



27 -

The green revolution of bio-based materials

DECARBONISATION

As part of our pioneering journey, 2TEC2 created bio-based flooring collections made with a significant amount of renewable, biological materials. This switch from fossil to renewable resources in our production processes and product composition contributes to the decarbonisation of the economy.

BIO-BASED MATERIALS IN OUR FLOORS

Together with our supplier, we were able to create bio-based vinyl, which is used in the top layer of our woven flooring. Thanks to this innovation, the top weave of our bio-based collections consists of 40% bio-based content.

As a latest technological initiative, we now use bio-based materials instead of virgin fossil-based materials in the two coat layers. Additionally, we introduced recycled content in the fibreglass layer of 2TEC2.

This is valid for all 2TEC2 'Class 2' collections (SonoFelt® 19db – Bio-based)*

- → Sustainable & environmentally friendly: less reliance on fossil resources.
- → Quality & style: the look and functionality of 2TEC2 remain unchanged.
- → Contributing to a greener future: your choice makes a difference!



What are bio-based materials?

Bio-based products are derived from

materials of biological origin such as plants,

Bio-Based



4
5

2TEC2 PRODUCT CLASSIFICATION				
		Class 1 SonoFelt® 19dB	Class 2 SonoFelt® 19dB Bio-based	
Product build up	1 Woven top layer	Virgin vinyl	Bio-based vinyl	
	2 Precoat layer	Virgin vinyl	Bio-based vinyl	
	3 Glass fibre layer	Recycled contents	Recycled contents	
	4 Basecoat layer	Virgin vinyl	Bio-based vinyl	
	5 Acoustic layer	Recycled PET	Recycled PET	

* Check www.2tec2.com for the latest updates

Our own recycling facility

Our goal is to reach 0% virgin fossil raw material and to be fully recyclable. More bio-based materials, more recycled contents & our own recycling plant are the key drivers to achieve this.



RECYCLED CONTENT


Choosing for 2TEC2 means saving the equivalent of 15000 PET bottles from landfill for every 1000m² flooring. Our current felt underlayer is composed of 70% recycled PET contents. We aim to increase this share even more.

RECYCLABILITY

All 2TEC2 tiles, rolls and planks are 100% recyclable. 2TEC2 is designed and produced to be fully recyclable and to regenerate new 2TEC2 flooring again and again, without losing any strength.



As pioneers in this field, we see an exciting challenge in contributing to the preservation of the planet's finite resources.



THE 2TEC2 RECYCLING FACILITY

A brand-new 2TEC2 recycling facility will convert pre-consumer production waste into raw material that will serve as a basis for new, strong and attractive 2TEC2 tiles.

Our journey towards a circular future

2005 LONG-LASTING DURABILITY

From the start, the product was designed to be durable and long-lasting.



2013 REDUCING AND REUSING PRE-CONSUMER WASTE

Leftover yarns are smartly used in the production of outdoor rugs of our sister company Limited Edition® and other products.



2017 INTRODUCING RECYCLED CONTENT

The acoustic felt backing now contains recycled PET content.



REDUCING OUR CARBON FOOTPRINT

2TEC2 invests in **solar installations** and a **heat recovery system**. We install a fully integrated production cycle to ensure a durable, long-lasting quality, and to drastically improve our ecological footprint and energy consumption.

2024 A FULLY CIRCULAR FUTURE

We will fully reuse and recycle our floors, production waste and leftover materials into new 2TEC2 tiles or rolls

2023 DESIGN FOR CIRCULARITY

Investments towards a greener future:

- → R&D and operations adjustments
- → New product design
- → Building our new in-house recycling plant



2023 REVOLUTIONARY INNOVATION: ADDING BIO-BASED CONTENT TO OUR FLOORS

Pioneering in our type of product, we have launched our floorings with bio-based content in the top layer's woven structure. A major step in our journey to reducing fossil-based materials.



A BACKING WITH RECYCLED CONTENT AND EXCELLENT ACOUSTICS

We introduce SonoFelt®, our new felt backing, composed of 70% recycled PET and reducing noise by 19dB or more.



2025 FURTHER INCREASING THE BIO-BASED AND RECYCLED CONTENTS IN 2TEC2

- → Bio-based content is being introduced in both coat layers of our product
- → Recycled content is added in the glass fibre sheet.
- → Additional collections become Bio-based (Class 2)



HOW DO WE PLAN TO REACH OUR GOAL OF BEING FULLY RECYCLABLE WITH 0% VIRGIN FOSSIL RAW MATERIAL?

✓ Using bio-based materials
 ✓ Using more recycled contents
 ✓ Producing a fully recyclable product
 ✓ Operating our own recycling facility



Our environmental impact & EPD




ENVIRONMENTAL PRODUCT DECLARATION (EPD)

An EPD shares information on a product, its raw materials, and its environmental footprint.


It is a transparent document that takes the full Life Cycle Assessment (LCA) of a product into account. Through our EPD, we can show our efforts and growth in reducing our ecological impact and emissions over the years.

The data allow architects, designers and engineers to compare different products and their environmental impacts.

Our EPD and amongst others, our ${\rm CO_2}$ emissions have been verified and published by IBU, a certified third party.



2TEC2'S IMPROVEMENT IN REDUCING ${\rm CO}_2$ EMISSIONS



REDUCING OUR CO₂ EMISSIONS

2TEC2's SonoFelt® 19dB has a Global Warming Potential (GWP) of 6.02 kg CO₂/m² (*). Compared with our previous standard product, that's an improvement of 1.07 kg CO₂/m².

However, our journey does not end here. We will continue to reduce the environmental impact of our flooring even more.

*A1-A3 / LCA Calculator GUT

For a complete overview of our sustainability journey, visit www.2tec2.com or download our sustainability brochure.

Compliance & certifications

PROOF OF EXCELLENCE

2TEC2 understands the importance of providing credible and transparent evidence of our commitments and actions. We comply with a series of respected international certificates and labels, to show the world how much we care about product quality, human health and the environment.

CONTRIBUTING TO HEALTHY AND SAFE BUILDINGS







OUR CERTIFICATES




















Sector solutions

Workspaces — 35

Hospitality — 39 Healthcare — 45

Public spaces — 49


Education — **53**

Retail & Showrooms — **57**

Residential & Multi-family — 61

Leisure & Gyms — 63





Workspaces

Workspaces should inspire productivity and creativity.
Our designer patterns, combined with acoustic backing, castor chair resistance, and durability, promise your boardrooms and open workspaces will look and feel stunning, and stay that way.


Main features

- + Castor chair resistance
- + Acoustic sound absorption
- + Hygienic & easy to clean
- + Fire-retardant
- + Endless design creativity
- + Healthy indoor air quality
- + Long-lasting new appearance
- + Slip-resistant
- + Suitable for raised flooring system
- + Non-permanent floor solution


Chosen by Moët Hennessy, McDonald's, Microsoft, ING, Van Marcke, Volvo Trucks, Porsche, CD&V, Kaizen Gaming, Freshfields.











Hospitality

Combining the best elements of soft and hard surface flooring, our solutions enhance your hotel's or restaurant's atmosphere and ensure your guests feel right at home.


Main features


- + Design versatility
- + Hygienic & easy to clean
- + Class 33 heavy usage
- + Acoustic sound absorption
- + Slip-resistant
- + Colour fastness
- + Anti-fungi
- + Fire-retardant
- + Healthy indoor air quality
- + Dirt-hiding & stain-resistant

Chosen by Four Seasons Georges V, RIU hotels, JW Marriott, Accor Hotels, Le Sanglier des Ardennes, Wyndham, Anthénea floating hotel suites, Duomo Hotel -Apartments.

















Healthcare


2TEC2's unlimited product collections offer a selection of colours and designs that will provide comfort to your patients and those caring for them. Mostly, our woven flooring is not only beautiful, but also easy to clean, antibacterial, safe and comfortable: qualities that are essential to any healthcare environment.

Main features


- + Design versatility
- + Hygienic & easy to clean
- + Class 33 heavy usage
- + Acoustic sound absorption
- + Odourless
- + Well-being of patients and visitors
- + Anti-allergic properties
- + Suitable for disinfection
- + Anti-static properties
- + Slip-resistant

Chosen by Sensabell Clinic, Clinica Pof. Luis Jardim, Odontolia, Antwerp Eye Care, Kapittelhof nursing home, Clinica Forcada.









Public spaces


Public spaces need flooring that is comfortable and lasting.
The durability and maintainability of our woven vinyl allows your flooring to stand the test of time under heavy commercial use. Design a public forum that fits your needs with our endless combinations of striking colours and designs.


Main features

- + Class 33 heavy usage
- + Acoustic sound absorption
- + Hygienic & easy to clean
- + Innovative design
- + Fire-retardant
- + Slip-resistant+ Healthy indoor air quality
- + Anti-fungi
- + Dirt-hiding & stain-resistant
- + Seamless

Chosen by New York Public Library, Split Airport, UGC cinemas, Library@Harbourfront Singapore, Tokio Airport, Movistar, Friends of the Prado Museum.









Education


Your classroom should be an inspiring haven, a place where learning thrives. 2TEC2's unique designs enhance any space, while offering durability and easy maintenance. Create an environment that fosters creativity and growth, where every student feels at home in their pursuit of knowledge.


Main features

- + Acoustic sound absorption
- + Easy installation
- + Anti-allergic properties
- + Hygienic & easy to clean
- + Innovative design
- + Fire-retardant
- + Healthy indoor air quality
- + Anti-fungi
- + Anti-static properties
- + Long-lasting fresh appearance

Chosen by EDHEC Business School, Schiller International University Paris, RMIT University, Erudito Private School, University Camilo José Cela.











Retail & Showrooms

The use of high-end and durable materials will help you maintain a clean retail space, allowing your floor to continue to shine even after years of heavy use.


Main features

- + Design versatility
- + Class 33 heavy usage
- + Hygienic & easy to clean
- + Acoustic sound absorption
- + Fire-retardant
- + Slip-resistant
- + Colour fastness
- + Suitable for raised flooring systems
- + Non-permanent installation
- + Structure & texture

Chosen by Porsche, Samsung, Mees Van De Wiele, Selfridges, Nishinomiya Gardens, The Hub, Broeinest, The Arq Showroom, Expo Dubai.








Residential & Multi-family

Your home should be your oasis, a place of comfort to return to.
Easily cleaned, durable, and customisable to fit your space, our flooring is the perfect way to turn a house into a home.

Main features

- + Acoustic sound absorption
- + Easy installation
- + Anti-allergic properties
- + Hygienic & easy to clean
- + Innovative design
- + Fire-retardant
- + Healthy indoor air quality
- + Anti-fungi
- + Anti-static properties
- + Long-lasting fresh appearance





Leisure & Gyms

Our boundless selection of beautiful, customisable floorings will elevate your wellness or gym, accentuating the atmosphere you want to display to your visitors.

Main features


- + Hygienic & easy to clean
- + Class 33 heavy usage
- + Acoustic sound absorption
- + Anti-allergic properties
- + Slip-resistant
- + Anti-fungi
- + Suitable for disinfection
- + Underfoot comfort
- + Anti-static properties
- + Long-lasting fresh appearance



Timeless collections

Alhambra — 67
Palma — 71
Strata — 75
Silva — 85
Marble — 89
Desert — 93
Hybrid — 97
Infinite — 105
Colourful — 109
Herringbone — 113
Cracked Earth — 114
Barcode — 117
Stripes — 118
Lustre — 119

Play — **120**





Alhambra

Inspired by the refined expression of beauty and emotion found within the well-known Moorish sun-soaked Alhambra palace, this pattern plays hide and seek with intricate mosaics and vegetal motifs.

The Arabic name 'al-Hamra' means 'the red fortress', celebrating nature's dance of light and sun on warm evenings. The colour palette varies from the azure hues of the Andalusian sky to the earthy warmth of sienna and umber tones in the surrounding hills. Celebrating the art of discovery, the Alhambra motif beckons with its delicate filigree of ornamental motifs and ever-unfolding details, inviting you on a journey of exploration and delight. Each glance reveals new intricacies, weaving together echoes of history and whispers of elegance.

Elevate your space with the Alhambra Collection and let the spirit of Moorish grandeur and exquisite craftsmanship adorn your interiors with grace and refinement.



Alhambra Umber


Alhambra Gunmetal





Alhambra Emerald

Alhambra Sand



Alhambra Malachite



Alhambra Zinc



Alhambra Cyan




Alhambra Charcoal

☐ Rolls ca. 200 cm

☐ Tiles 50 x 50 cm 19.69" x 19.69"

Class 2 Bio-based SonoFelt® 19dB








Alhambra Sienna



Alhambra Carmine











☐ Rolls ca. 200 cm ☐ Tiles 50 x 50 cm 19.69" x 19.69"

Class 2 Bio-based SonoFelt® 19dB




Palma

Embrace the serene oasis of palm tree leaves beneath your feet and let their gentle sway evoke a feeling of relaxation and sophistication.

The Palma Collection captures the essence of tropical elegance, bringing a sense of natural allure to any space. The Latin word "palma" holds a rich history and symbolism, originally referring to the palm of the hand as the key to life. Over time, the palm tree became associated with peace, prosperity, and tropical paradise. Its graceful leaves and resilient nature have inspired artists and designers throughout the ages, carrying an exotic whisper of eternal life.

Palma exudes warm elegance, beauty, and tranquility, yet is at the same time vibrant and visually engaging. Create a lively space with this refined masterpiece design, crafted by nature.





Palma Sand



Palma Zinc




Palma Umber



Palma Sienna



Palma Emerald



Palma Cyan



Palma Gunmetal



Palma Carmine




Palma Malachite



Palma Charcoal











The layers of the earth serve as inspiration for Strata's design. As a silent witness to our evolution, the stratification in rocks and stones creates a robust play of lines – a symbol of timeless progress.

Strata's line motif lives and breathes: with endless variation, the natural pattern creates fascinating markings on the floor.

Strata INTILES



☐ Tiles 50 x 50 cm 19.69" x 19.69"

> Class 2 Bio-based SonoFelt® 19dB





* gives visually diamond effec

	В↑	Ashl A/B
ΑŢ	в↑	,,,,
Αţ		

Ashlar A/A

* gives visually a herringbone effect

	A21
A 1↑	
	A21
A1†	

* gives visually a diagonal pattern





Strata IN PLANKS



Silica Chalk Arkose Shale




Planks
20 x 75 cm
7.87"x 29.53"

Class 2 Bio-based SonoFelt® 19dB



A A A A	Random Staggered A/B
A	Random Staggered AA/BB
A A A A A A A A A A A A A A A A A A A	Random Staggered Mix A/B
A A A A	Random Staggered



- 76



Strata tiles installation possibilities


To create the typical **Strata floor patterns** with visual **herringbone** effect, you need to **order 50% of the A tiles** with the upward line design and **50% of the B tiles** with the descending line design.

To create a diagonal floor pattern, you can order only A (or B) tiles.

ASHLAR A/B

Create a 100 cm (39.37") wide **herringbone** pattern by arranging the tiles in opposing directions.







DIAMOND A/B


Create a 100 cm (39.37") wide **diamond** pattern by arranging the tiles in alternating directions.





100 cm (39.37")





ASHLAR A/A

Create a room-filling wide **diagonal** pattern by arranging only A- or B- tiles in the same direction.

- * gives a diagonal effect
- * only A tiles or only B tiles
- * also possible with A or B planks

100 cm (39.37")



Strata planks installation possibilities


To create the **Strata floor patterns**, you need to **order 50% of the A tiles** with the upward line design and **50% of the B tiles** with the descending line design.

To create a diagonal floor pattern, you can order only A (or B) planks.

RANDOM STAGGERED A/B

Create a 40 cm (15.75") wide herringbone pattern by arranging the planks in opposing directions.







RANDOM STAGGERED MIX A/B

Create a randomised design.







A B A A A B A A A B A A A B A A B A A B A A B A A B A A B A A B A A B A A B A A B A A B A A B A A B A A B A A A B A

RANDOM STAGGERED AA/BB

Create a 80 cm (31.50") wide herringbone pattern by arranging the planks in opposing pairs, extending the pattern.



80 cm (31.50")

40 cm (15.75")









Silva

Silva is the Latin name for 'wood' or 'forest', and this perfectly epitomises this floor covering. With a single step you are transported to beautiful woodlands, where the branches sway to the rhythm of the breeze and create a unique play of shadows.



Ash Maple Olive



Meranti

Teak

Ebony

Planks 20 x 75 cm 7.87"x 29.53"

Class 1 SonoFelt® 19dB



Herringbone



Random Staggered










Marble

Eminent, regal, and everlasting. These words come to mind when viewing our Marble collection. This collection is inspired by the crystalline material that has been used to build impressive palace halls and acted as the canvas for breathtaking monuments throughout the ages. Each design features the wild, yet purposeful streaks of colour that are unique to its namesake, echoing the controlled chaos that can only come from nature's own design.





Carrara

Fior





Aliveri


Emperador



Triana









Desert

The Desert collection pays homage to the aweinspiring stretches of arid wasteland that blanket our planet. Though the pattern may appear simple, just like the terrain its named for, each piece is made of a unique and vibrant ecosystem, which creates an impressive, everlasting impression.



Farafra

Antarctic





Namib

☐ Rolls \square Tiles 50 x 50 cm ca. 6'7" 19.69" x 19.69" Class 1 SonoFelt® 19dB

†	†	Monolithi
1	1	


†	←	Quartertur
—	†	





Karakum


















Hybrid Sepia

Hybrid Stardust



Hybrid Helios

Hybrid Umber









Hybrid Halley



The Hybrid collection evolves, introducing a spectrum of rich hues inspired by the breathtaking diversity of nature. This new palette breaks free from the subdued tones of greys and beiges, offering designers and architects new creative dimensions to explore.

From the lush greens of Emerald and Jade to the striking blues of Ultramarine and Cerulean, these new colours bring the vitality of the outdoors into high-end interior spaces. Rich, earthy tones like Umber and Ochre ground your designs in natural pigments, while the delicate lightness of Sand and Alabaster adds an air of subtle sophistication.

Class 2 Bio-based SonoFelt® 19dB Bio-Based Ashlar Brick Quarterturn

☐ Tiles

50 x 50 cm 19.69" x 19.69"

Rolls

ca. 6'7"

ca. 200 cm

Hybrid collection



Hybrid Jade



Hybrid Sand




Hybrid Solaris






























Brick

Quarterturn



collection expresses limitless power.

Infinite







Desertino

Topazino

Our Infinite collection is inspired by the mysteries beyond our planet.

and the celestial bodies that inhabit it, down beneath your feet.

Looking upwards, we seek to bring the beauty and awe of the night sky,

Named after the cosmic figures of our universe, each of the pieces in this

Moonrock

Coffee Bean









Juno

Flintino

Orion

Nebula









Comet

Titan

Planet

Andromeda










Neptune

Black Hole

Moonless Night


Eclipse



107 -










Colourful

Our Colourful collection is a complex combination of hues and tints to breathe life into your flooring. Each of our shades is inspired by powerful forces of nature, vivid expressions of strength, from the radiant constellations that map the heavens to the magnificent undulations of the Aurora Borealis, to the flickering ferocity of fire. With a darker base undertone, each pattern is flecked with lighter shades, creating a complex visual.









109 -

Zenith

Quasar

Fireball

Atmosphere











Zodiac

Orbital









Herringbone

Herringbone is influenced by the sharp, V-shaped patterns found in the delicate fossils of the marine animals after which this pattern is named. Just like the biological structure it is inspired by, the Herringbone pattern acts as the unyielding, skeletal framework for your room, upon which you can build the rest of your interior design. While using the same colour, the alternating columns in this design give the curious appearance of two distinct shades when viewed from afar.

Rolls ca. 200 cm ca. 6'7"

Class 1 SonoFelt® 19dB




Oyster









Cracked Earth

Cracked Earth tells a story of the earth's resilience to the elements as it weathers the onslaught of passing millennia. Inspired by the arid landscapes on our planet subject to the unforgiving power of volcanic activity, this collection reminds occupants of the unique grandeur that comes with age. The cracked lines featured in this collection are striking and powerful, exhibiting the raw strength of time, and the earth's obstinance against it.

Rolls	☐ Tiles
ca. 200 cm	50 x 50 cm
ca. 6'7"	19.69" x 19.69"

Class 1 SonoFelt® 19dB

1	1
1	†

Monolithic


†	←
+	†

Quarterturn





- 114



Collection & product Cracked Earth Arid tiles Project New York Public Library (USA) Photo Max Touhey





Barcode

The Barcode collection uses shading and geometric techniques to create an illusion of movement along its surface. Harmonizing both dark and light, this pattern evokes serenity, reflecting the first rays of a rising sun. Looking closely, one can see the barcodes are constructed through asymmetrical, linear weaves which, when stepping back, gives off an illustrious perspective.

☐ Rolls ☐ Tiles 50 x 50 cm ca. 200 cm 19.69" x 19.69" ca. 6'7"

Class 1 SonoFelt® 19dB

Brick

Quarterturn







Quartz

Stripes

Stripes utilises streaks of spirited colour to inject your space with life and excitement. Bright blue or orange lines against a dark base, the streaks of dye are an eye-catching accent piece to match the colour tones that define your room. A combination of thick and thin lines offers a textured appearance to the floor.





Moonless Night Blue



Class 1 SonoFelt® 19dB

	1	1	
1	ì	1	ŀ

Brick

1	-
←	1


Quarterturn



- 118

Moonless Night Orange





Lustre

The Lustre collection is influenced by the entrancing, crystalline patterns found in the geometric shapes of natural stone formations. Like its name suggests, the Lustre patterns reflect the light within your space to create a gentle, yet eye-catching visual experience that will mesmerise your occupants from the moment they walk through your doors.



Morion Brown

☐ Rolls ☐ Tiles ca. 200 cm 50 x 50 cm ca. 6'7" 19.69" x 19.69" 119 -

Class 1 SonoFelt® 19dB









LET YOUR CREATIVITY FLOW

Your floors should mirror the unique personality of your space. Our vast library of shapes, colours, and patterns offers a nearly limitless number of combinations for you to choose from, guaranteeing you will find a solution that perfectly embodies the spirit of your project.

To make your bespoke project a success, contact our sales team to work out a custom-made floor solution.







We can also design **new colours and** patterns or logos for your important projects.

DESIGNED FOR FUN

Our Play concept allows you to get creative with various shapes of tiles and planks to create inspiringly expressive floors. Diamonds, hexagons and planks are among some of our suggestions. But in reality, any shape and size is possible. Choose any colour from our collections and let your imagination do the rest!





25 x 25 cm 9.84" x 9.84"

Plank 22 x 66 cm 8.66" x 25.98"



Hexagon 50 x 57,70 cm

19.68" x 22.71"

Square

100 x 100 cm

39.37" x 39.37"

2tec2




Triangle 50 x 50 x 70,70 cm 19.68" x 19.68" x 27.83"

The Play offer is an additional range of shapes, available upon request, next to our standard offer of tiles (50 x 50 cm / 19.68" x 19.68"), planks (20 x 75 cm / 7.87" x 29.53") or rolls (200 cm / 78,74"). Availability depending on the collection.









2TEC2 rugs

123 -

Beautiful textures, inviting spaces — **124**

Shapes & sizes — 126
Collection overview — 127

Beautiful textures to create inviting spaces

BEAUTIFUL RUGS TO CREATE ATMOSPHERE

Our woven rugs make for unique centrepieces that can accentuate a neutral space or extend the floor style of another room, without compromising on cleanability and performance. Durable, strong and uniquely beautiful, our woven rugs are the solution to create **extra atmosphere** or **functional zoning** in hospitality, reception areas, office spaces, meeting rooms, showrooms or outdoors.

DIFFERENT SHAPES, MATCHING FINISH

Our rugs come in various shapes and sizes, finished with a border that matches the design and colour of the rug.


Would you rather have something truly unique?
Bespoke options are available, ask our sales team to work out a custom-made floor solution with our rugs.

INDOOR & OUTDOOR

2TEC2 rugs are fit for both indoor and outdoor use.




overdekt met infinite?



Available shapes & sizes

Centimeters	Inches	Rectangle	Stadium	Organic	Circle
140 x 200 cm	55.12" x 78.74"	R1	S1		
180 x 240 cm	70.87" x 94.49"	R1	S1	O51	
200 x 200 cm	78.74" x 78.74"	R1	S1		
200 x 250 cm	78.74" x 98.43"	R1	S1		
200 x 300 cm	78.74" x 118.11"	R1	S1	O51	
200 x 350 cm	78.74" x 137.80"	R1	S1		
200 x 400 cm	78.74" x 157.48"	R1	S1	O51	
250 x 250 cm	98.43" x 98.43"	R1 •	S1°		
250 x 300 cm	98.43" x 118.11"	R1 •	S1°		
250 x 350 cm	98.43" x 137.80"	R1 •	S1°	O51 •	
250 x 400 cm	98.43" x 157.48"	R1 •	S1°		
300 x 300 cm	118.11" x 118.11"	R1 •	S1°		
300 x 350 cm	118.11" x 137.80"	R1 •	S1°	O51 •	
300 x 400 cm	118.11" x 157.48"	R1 •	S1 •	O51 •	
350 x 350 cm	137.80" x 137.80"	R1 •	S1°		
350 x 400 cm	137.80" x 157.48"	R1 •	S1°		
400 x 400 cm	157.48" x 157.48"	R1 •	S1°		
Ø 200 cm	Ø 78.74"				C1 •
Ø 250 cm	Ø 98.43"				C1 •
Ø300 cm	Ø 118.11"				C1 •
Ø 350 cm	Ø 137.80"				C1 •
Ø 400 cm	Ø 157.48"				C1 •

^{*}With stiched seam (barely visible) for dimensions >200 cm / 78.74"



Custom rug sizes, shapes, product colours and finishes are available on demand and have an additional surcharge. Contact our sales team sales@2tec2.com.

2TEC2 Rugs Collection

Alhambra





Tangerine

Pacific

Hybrid





Helios

Stellar





Lyra

Meteor

Darkside

Infinite







Juno

Coffee Bean

Planet

Marble







Carrara

Morion Brown



Installation, maintenance & technical info

Installation - 130

129 -

Maintenance - 131

Technical info - 132

etece®

Installation of a 2TEC2 floor

ADHESIVES

Rolls are to be placed with a permanent adhesive, while tiles are to be placed with a non-permanent one.



USE AND RE-USE

Tiles installed with tackifier are easy to remove and replace if you wish to update your interior or to reuse them in another location.

THE FINISHING TOUCH

We recommend to install your 2TEC2 floors as the final step in your construction or renovation project to protect our beautiful patterns from dust, paint or indents.

READY-TO-USE

You can immediately walk on 2TEC2 and furnish your room after the installation, no need to wait.

A VERSATILE FLOORING SOLUTION

2TEC2 can be installed on different types of evenly levelled subfloors: cement-based floors, stone floors, even LVT or hardboard floors can be assessed fit for 2TEC2 installation. Just make sure the underfloor is clean, dry and completely even levelled, and you will get a perfect result.

A professional installer will ensure that the beautiful texture of 2TEC2 comes to life in your room. Feel free to reach out to our network of installers or make sure to consult our installation instructions. 2TEC2 is always at your disposal to provide additional technical support.

For more detailed guidelines on installation, visit www.2tec2.com and download our installation instructions.

Maintenance of a 2TEC2 floor

EASY MAINTENANCE

Our floors can be easily cleaned with just water, there is no need for hazardous chemical cleaning products. They are also stain-resistant. Since they do not absorb any liquids, stains are easy to remove. You can simply rinse the dirt away.



When 2TEC2 is placed at an entrance, a walk-off mat is recommended. Entrance matting prevents soiling and accelerated wear.

For optimal cleaning, we refer to our general maintenance instructions which you can find on our website www.2tec2.com.

GENERAL CLEANING INSTRUCTIONS

- Vacuum your floor regulary
 to avoid dirt buildup and to decrease
 attraction of dust.
- Remove dirt, stains and liquids by simply using water and a cloth without any additives within 24 hours.
 - Diluted detergent or bleach may be used for persistent stains.
- Perform a deep cleaning at least once a year to elongate the life of your floor and keep it as beautiful as it was intended.

131 -



 $\label{localization} \mbox{ Injection-extraction machine for deep cleaning.}$

	Technical sheet			
Woven Jacquar	d top layer 900 g/m² - 26.54 oz/yd²		Fungal growth EN 14119-A2	No Growth, Grade 0
Composition	83% vinyl compound 7% fiberglass 10% PET		Antibacterial activity ISO 20743	Strong (A≥3)
Recycled Conte	ent Yes		Foot traffic test ASTM D6119-12	Heavy traffic
Acoustical layer	70% recycled content	F	Antistatic ISO 6356 AATCC 134-2006	< 2 kV Permanently antistatic
Backing	Vinyl + Felt	(%3)	Slip resistance EN 13893 ASTM C1028-07	≥ ds 0.85
Total thickness ISO 1765	4,6 mm - 0.18"	DS	DIN 51130 EN 13036-4	R9 65
Total weight ISO 8543	3200 g/m² - 94.38 oz/yd²		Impact sound reduction ISO 10140 ASTM E492-09 & E989-06 ASTM E2179-03 & E989-06	
Roll width* EN ISO 24341	ca. 200 cm - ca. 6'7"		Acoustical absorption ISO 354	a _w = 0,15
Roll length* EN ISO 24341	ca. 30 m - ca. 32.8 yd		Walking noise reduction EPLF 021029-3 EN 16205	70% 76 dB
Plank size* (20 pcs per box	20 x 75 cm - 7.87" x 29.53"		Castor chair suitability EN 985	Continuous use
Tile size* (16 pc	s per box) 50 cm x 50 cm - 19.69" x 19.6	69"	Light fastness ISO 105-B02	8
Resistance to fr EN ISO 10833	aying Pass		Thermal resistance ISO 8302	Suitable for underfloor heating

*Available in rolls, tiles and/or planks according to collection specifications.

**Terms and conditions are available on request.

0.43 mm - 0.0169"

15 years**

0493-CPR-0151

8515-CPR-0151

Environment & indoor air quality

E1

CA



Class 33

A rating

< 300

0,84 W/cm²

Heavy commercial use

Meets the requirements









Level of Use EN 1307 ASTM D5252

EN 13501-1

ASTM E84

NFPA

Reaction to fire

Smoke density

Critical radiant flux ASTM E648

Dimensional stability

EN 986 - ISO 2551







Residual indentation

EN ISO 24343-1

EN 717-1

Warranty

UK-CA

CE Certificate



2TEC2 is a member of the European Carpet & Rug association (ECRA)

Technical sheet





	100111110	ai sileet	Bio-Based	19dB	Class 2
Woven Jacquard top layer	900 g/m² - 26.54 oz/yd² Bio-based top layer		Fungal growth EN 14119-A2	No Growth, Grade	0
Composition	83% vinyl compound 7% fiberglass 10% PET		Antibacterial activity ISO 20743	Strong (A≥3)	
Recycled Content	Yes		Foot traffic test ASTM D6119-12	Heavy traffic	
Acoustical layer	70% recycled content	7	Antistatic ISO 6356 AATCC 134-2006	< 2 kV Permanently antist	atic
Backing	Vinyl + Felt	ا ا	Slip resistance EN 13893	≥ ds	
Total thickness ISO 1765	4,6 mm - 0.18"	DS	DIN 51130 EN 13036-4	0,85 R9 65	
Total weight ISO 8543	3200 g/m² - 94.38 oz/yd²				
Roll width* EN ISO 24341	ca. 200 cm - ca. 6'7"		Acoustical absorption ISO 354	a _w = 0,15	
Roll length* EN ISO 24341	ca. 30 m - ca. 32.8 yd		Walking noise reduction EPLF 021029-3 EN 16205	70% 76 dB	
Plank size* (20 pcs per box)	20 x 75 cm - 7.87" x 29.53"		Castor chair suitability EN 985	Continuous use	
Tile size* (16 pcs per box) EN 994	50 cm x 50 cm - 19.69" x 19.69"	7	Light fastness ISO 105-B02	8	
Resistance to fraying EN ISO 10833	Pass		Thermal resistance	Suitable for underf	loor heating
Level of Use EN 1307 ASTM D5252	Class 33 Heavy commercial use		Residual indentation EN ISO 24343-1	0.43 mm - 0.0169"	
Reaction to fire EN 13501-1 ASTM E84	B _{fi} -s1 A rating	E1	EN 717-1	E1	
Critical radiant flux ASTM E648 NFPA	0,84 W/cm² Class I		Warranty	15 years**	
Smoke density ASTM E662	< 300	CE	CE Certificate EN 14041	0493-CPR-0151	
Dimensional stability EN 986 - ISO 2551	Meets the requirements	UKA	UK-CA	8515-CPR-0151	
	Composition Recycled Content Acoustical layer Backing Total thickness ISO 1765 Total weight ISO 8543 Roll width* EN ISO 24341 Roll length* EN ISO 24341 Plank size* (20 pcs per box) Tile size* (16 pcs per box) EN 994 Resistance to fraying EN ISO 10833 Level of Use EN 1307 ASTM D5252 Reaction to fire EN 13501-1 ASTM E84 Critical radiant flux ASTM E648 NFPA Smoke density ASTM E662 Dimensional stability	Bio-based top layer Bio-based top layer	Recycled Content Salar Vinyl compound Total thickness ISO 1765 A.6 mm - 0.18"	Woven Jacquard top layer 900 g/m² - 26.54 oz/yd² En Idil9-A2	Woven Jacquard top layer Blobased top layer

*Available in rolls, tiles and/or planks according to collection specifications.

**Terms and conditions are available on request.

Environment & indoor air quality





















2TEC2 is a member of the European Carpet & Rug association (ECRA)

We reserve all rights for technical improvements

We reserve all rights for technical improvements



Samples & tools

TEXTURES / BIM / 3D VISUALISATION

Download our images, textures and BIM files to create your ideal space with 2TEC2 flooring in 3D applications.

With our digital simulator on our website, you can also try out several of our floor coverings in a range of interiors. This will help you in your choice of product, installation pattern and colour.

Use these tools to help your creativity flow.

Try our digital tools on www.2tec2.com

SAMPLE SERVICE

Feel free to order samples of your favourite products. This way you can look & feel our flooring solutions in real life, giving you a clearer idea of what to expect. The size of our samples is 20 cm x 20 cm (7.87" x 7.87").

Call us or order through our website. You can also apply for samples on various platforms such

Be inspired, order your samples on www.2tec2.com







- 134

LIMITED EDITION

If you wish to use tufted or woven rugs for your project, 2TEC2's sister company Limited Edition is the perfect solution for this. Limited Edition was founded by Katia Dewitte as well, in 1991. Since then, the company has been devoted to creating luxurious, custom-made rugs for the residential and commercial market.

Visit www.le.be



Find us on social media










@ 2tec2flooring

2tec2

2tec2 - High Tech Flooring

The colours in this brochure may differ from the actual colours. This can be due to technical printing differences. Please request a productsample for an accurate representation. We reserve all rights for technical improvements.





Headquarters & showroom

Chaussee d'Aelbeke 284-7700 Mouseron, Belgium T+32 (0)56 85 47 47 E sales@2tec2.com W 2tec2.com -2TEc2 is a brand of Le Tissage S.A.